				ボーリ	リングエ			土壤分析	- (検体)
	11h H 72				ž	掘削長の内訳 (m	1)		
	地点名	現地盤標高 (A.P.m)	旧地盤標高 (A.P.m)	掘削長 (m)	盛土部 (旧地盤面 以浅)	盛土以外 (旧地盤面 以深)	支障物部 (旧地盤面 以深)	油膜·油臭	TPH
1	H 28 - 9	8.16	-	-	-	-	-	10	1
2	H 29 - 9	6.46	-	-	-	=	=	10	1
3	H 30 - 7	6.46	_	_	-	_	_	10	1
4	H 30 - 8	6.80	-	-	-	-	=	9	1
5	Н 33 - 7	6.95	3.95	10.0	3.0	6.5	0.5	9	-
6	Н 36 - 6	7.69	-	-	-	-	-	9	1
7	H 40 - 4	8.01	-	-	-	-	-	9	1
8	H 41 - 7	6.78	4.25	10.0	2.5	7.0	0.5	10	1
9	I 28 - 2	6.54	-	-	-	=	=	10	1
10	I 29 - 4	6.48	-	-	-	=	=	10	1
11	I 30 - 7	6.49	-	-	-	=	=	9	-
12	I 33 - 6	6.75	3.95	10.0	2.8	6.7	0.5	9	_
13	I 33 - 9	6.80	3.80	10.0	3.0	6.5	0.5	9	_
14	I 34 - 2	6.84	3.72	10.0	3.1	6.4	0.5	8	_
15	I 34 - 3	6.86	3.74	10.0	3.1	6.4	0.5	8	_
16	I 34 - 4	6.86	3.85	9.5	3.0	6.0	0.5	9	-
17	I 34 - 5	6.84	3.84	10.0	3.0	6.5	0.5	10	1
18	I 36 - 1	6.83	3.62	9.0	3.2	5.3	0.5	7	-
19	I 36 - 5	6.77	3.88	9.0	2.9	5.6	0.5	8	_
20	I 36 - 7	6.72	4.04	9.0	2.7	5.8	0.5	8	
21	I 36 - 9	6.68	4.10	8.0	2.6	4.9	0.5	8	<del>-</del>
22	I 38 - 9	6.98	4.18	10.0	2.8	6.7	0.5	10	1
23	I 40 - 5	6.91	4.21	10.5	2.7	7.3	0.5	11	1
24	I 40 - 8	6.92	3.92	10.0	3.0	6.5	0.5	10	1
25	I 41 - 9	6.90	4.17	10.0	2.7	6.8	0.5	11	1
26	J 26 - 3	8.53	- 2.70	-	-	-	-	10	1
27	J 27 - 8	7.94	3.79	5.0	4.2	0.9	-		1
28	J 28 - 2	6.40						10	1
29	J 29 - 4	6.47	3.57	10.0	2.9	6.6	0.5	9	- 1
30	J 29 - 7	6.51 7.72						11	1
32	J 31 - 3 J 32 - 5	7.40	4.22	11.0	3.5	7.0	0.5	10 8	1
33	J 32 - 5 J 32 - 6	6.78	_		_	_		9	
34	7 00 0	6.65	4.05	10.0	2.6	6.9	0.5	10	
35	J 33 - 6 J 33 - 9	6.70	3.20	4.0	3.5	0.5	-	-	1
36	J 34 - 2	6.83	3.84	10.0	3.0	6.5	0.5	9	_
37	J 34 - 2 J 34 - 5	6.82	3.60	10.0	3.2	6.3	0.5	8	_
38	J 34 - 7	6.70	3.76	7.5	2.9	4.1	0.5	7	1
39	J 34 - 7 J 34 - 8	6.68	3.70	7.5	3.0	4.0	0.5	6	_
40	J 34 - 9	6.61	3.33	9.0	3.3	5.2	0.5	8	_
41	J 35 - 3	6.69	3.53	8.0	3.2	4.3	0.5	7	1
42	J 35 - 4	6.67	3.72	10.0	3.0	6.5	0.5	8	_
43	J 35 - 5	6.72	3.31	8.0	3.4	4.1	0.5	7	_
44	J 35 - 8	6.80	3.78	7.5	3.0	4.0	0.5	6	-
45	J 36 - 4	6.70	3.80	9.0	2.9	5.6	0.5	7	-
46	J 36 - 5	6.74	3.74	8.0	3.0	4.5	0.5	8	1
47	J 36 - 6	6.72	4.10	8.0	2.6	4.9	0.5	8	1
48	J 37 - 4	6.69	3.39	9.0	3.3	5.2	0.5	8	1
49	J 37 - 5	6.72	4.11	8.0	2.6	4.9	0.5	8	1
50	J 37 - 6	6.72	4.57	9.0	2.2	6.4	0.5	10	1
51	J 37 - 7	6.73	4.19	8.5	2.5	5.5	0.5	9	1
52	J 38 - 6	6.84	3.89	10.0	2.9	6.6	0.5	11	1
53	J 38 - 9	6.87	4.12	8.5	2.7	5.3	0.5	9	-
54	J 39 - 1	6.95	4.37	10.5	2.6	7.4	0.5	11	1
55	J 39 - 2	6.93	4.13	10.0	2.8	6.7	0.5	10	1
56	J 39 - 5	6.83	4.53	10.0	2.3	7.2	0.5	11	1
57	J 39 - 8	6.96	2.95	11.0	4.0	6.5	0.5	10	1

							ボーリ	 リングエ			土壌分析	 f(検体)
								ł	掘削長の内訳(m	1)		
		地点	名		現地盤標高 (A.P.m)	旧地盤標高 (A.P.m)	掘削長 (m)	盛土部 (旧地盤面 以浅)	盛土以外 (旧地盤面 以深)	支障物部 (旧地盤面 以深)	油膜·油臭	TPH
58	J	39	_	9	6.96		-	-	-		8	1
59	J	40	-	1	6.88	4.01	10.0	2.9	6.6	0.5	10	1
60	J	40		2	6.87	3.57	8.0	3.3	4.2	0.5	7	1
61	J	40		7	6.88	-	-	-	-	-	11	1
62	J	41	_	3	6.91	3.91	10.0	3.0	6.5	0.5	10 9	1 –
63	K	26 27		6 2	8.30 7.92	_			_		9	1
65	K	28		5	6.48	_	_	_	_		7	1
66	K	28		8	6.52	_	_	_	_	_	9	1
67	K	28		9	6.54	3.54	5.0	3.0	2.0	=	-	1
68	K	29		2	6.50	4.40	10.0	2.1	7.4	0.5	11	1
69	K	29	_	5	6.48	-	-	-	-	-	10	1
70	K	29	_	9	6.43	-	-	-	-	-	11	1
71	K	30	_	1	6.48	-	-	-	-	-	11	1
72	K	30		3	7.73	4.48	6.0	3.3	2.8	-	_	1
73	K	30		4	6.42	-	-	-	-	-	7	1
74	K	31	_	5	7.83	4.13	10.0	3.7	5.8	0.5	9	1
75	K	31	_	8	7.88 7.80	_	_	_	-	_	9	1
76 77	K	32 32		1 2	7.47	_		_	_		10	1 1
78	K			<u>Z</u> 5	7.43	_			_	_	10	1
79	K	32		6	6.76	4.41	5.0	2.4	2.7	_	-	1
80	K	32		7	7.56	4.36	10.0	3.2	6.3	0.5	10	1
81	K	32		8	7.21	-	_	_	_	_	10	1
82	К	32		9	6.69	-	-	-	-	-	9	-
83	K	33	-	3	6.74	3.84	10.0	2.9	6.6	0.5	10	1
84	K	33	-	4	6.93	3.92	10.0	3.0	6.5	0.5	9	-
85	K	33	-	6	6.79	3.89	10.0	2.9	6.6	0.5	10	1
86	K	34		1	6.78	3.94	10.0	2.8	6.7	0.5	9	-
87	K	34		2	6.68	4.05	10.0	2.6	6.9	0.5	9	_
88	K	34		3	6.66	3.29	9.0	3.4	5.1	0.5	7	_
89 90	K	34		4	6.74	3.72	10.0	3.0 2.8	6.5 6.7	0.5	9	
91	K	34		5 7	6.68	3.88 3.88	10.0	2.9	6.6	0.5	9	
92	K			8	6.70	4.05	10.0	2.7	6.8	0.5	9	_
93	K			1	6.75	3.03	10.0	3.7	5.8	0.5	9	_
94	K			2	6.78	2.97	8.0	3.8	3.7	0.5	6	_
95	К			3	6.73	4.03	8.0	2.7	4.8	0.5	7	-
96	K			9	6.69	-	-	-	-	-	8	1
97	K			2	6.82	4.43	8.0	2.4	5.1	0.5	9	1
98	K	36		3	6.77	-	_	-	-	-	8	1
99	K			5	6.80	_		_	-	=	8	1
100	+			7	6.75	3.90	8.0	2.9	4.7	0.5	8	1
101	K			8	6.80	4.60	4.0	2.2	1.8	<del>-</del>	-	1
102 103	_			9	6.84 6.74	4.14	7.0	2.7	4.3		9	1
103				$\frac{4}{7}$	6.82	_		_	_		9	1
104	-			3	7.03	_	_	_	-	_	9	1
106	+			<u>5</u>	7.00		_	_	_	-	7	_
107	-			9	7.03	4.03	10.0	3.0	6.5	0.5	11	1
108	-			1	6.97	-	-	-	-	-	11	1
109	-			3	6.93	_	-	_	-	-	10	1
110	K	40	-	4	6.97	-	-	-	-	-	9	1
111	K	40	-	5	7.00	-	-	-	-	-	10	1
112				1	6.97	3.87	10.0	3.1	6.4	0.5	10	1
113	-			4	6.95	-	-	-	-	-	8	1
114	-	27		2	7.81	-	-	-	-	-	8	1
115	L	30	_	1	6.48	2.43	5.0	4.1	1.0	-	_	1

			ボーリ	リングエ			土壤分析	
				ž	屈削長の内訳(m	1)		
地点名	現地盤標高 (A.P.m)	旧地盤標高 (A.P.m)	掘削長 (m)	盛土部 (旧地盤面 以浅)	盛土以外 (旧地盤面 以深)	支障物部 (旧地盤面 以深)	油膜·油臭	TPH
116 L 30 - 7	6.52	-	-	-	-	-	9	1
117 L 31 - 1	6.44	-	_	-	-	_	10	1
118 L 31 - 4	6.45	-	_	_	_	_	10	1
119 L 31 - 7	6.44	2.34	10.0	4.1	5.4	0.5	9	1
120 L 32 - 3	6.85	-		-	-	_	9	
121 L 32 - 4	6.37	_		-	-	_	10	1
122 L 32 - 9	6.83	_	_	-	-	-	10	1
123 L 33 - 1	6.84	2.00	10.0	- 2.0	- 6 E	- 0 F	9	- 1
124 L 33 - 6 125 L 33 - 7	6.90 6.79	3.90	10.0	3.0	6.5	0.5	10 10	1
100	6.79	_		_	_		10	1 1
126 L 34 - 3 127 L 34 - 4	6.84	3.73	10.0	3.1	6.4	0.5	8	_
128 L 34 - 5	6.73	3.64	10.0	3.1	6.4	0.5	9	1
129 L 34 - 6	6.75	4.25	10.0	2.5	7.0	0.5	10	1
130 L 34 - 7	6.82	3.52	6.0	3.3	2.7	-	-	1
131 L 35 - 1	6.67	-	-	-	-	_	10	1
132 L 35 - 4	6.75	-	_	_	_	_	9	1
133 L 35 - 5	6.72	-	-	-	-	-	8	1
134 L 35 - 9	6.80	-	-	-	-	I	9	=
135 L 36 - 1	6.72	4.01	8.0	2.7	4.8	0.5	7	-
136 L 36 - 2	6.84	4.45	8.0	2.4	5.1	0.5	8	1
137 L 36 - 3	6.76	3.34	8.0	3.4	4.1	0.5	7	1
138 L 36 - 8	6.64	3.54	6.0	3.1	2.9	_	-	1
139 L 36 - 9	6.70	3.76	8.0	2.9	4.6	0.5	8	1
140 L 37 - 4	6.72	3.71	8.0	3.0	4.5	0.5	8	1
141 L 37 - 7	6.73	3.83	6.0	2.9	3.1	_	_	1
142 L 37 - 9	6.60	3.50	8.0	3.1	4.4	0.5	6	-
143 L 38 - 1	6.75	3.75	9.0	3.0	5.5	0.5	9	1
144 L 38 - 3	6.89	_			-	-	9	1
145 L 38 - 6	6.92	_		_	_	_	9 7	1
146 L 39 - 1 147 L 40 - 7	6.95 6.76	4.16	10.0	2.6	6.9	0.5	10	1 1
148 L 40 - 8	6.78	3.77	10.0	3.0	6.5	0.5	9	_
149 L 41 - 3	6.89	3.89	9.0	3.0	5.5	0.5	7	
150 L 41 - 9	6.89	3.88	8.0	3.0	4.5	0.5	8	_
151 M 29 - 2	6.59	0.74	6.5	5.9	0.7	-	_	1
152 M 29 - 3	6.50	_	-	-	-	-	7	-
153 M 29 - 5	6.44	4.34	9.0	2.1	6.4	0.5	10	1
154 M 29 - 9	6.50	-	-	_	_	-	10	-
155 M 30 - 3	6.54	-	-	-	-	-	8	-
156 M 31 - 2	6.44	_	_	_	-	-	8	-
157 M 32 - 1	6.42	2.02	6.0	4.4	1.6		_	1
158 M 33 - 9	6.58	2.57	10.0	4.0	5.5	0.5	9	1
159 M 34 - 1	6.87	2.17	6.0	4.7	1.3	-	-	1
160 M 34 - 4	6.79	3.99	8.0	2.8	4.7	0.5	8	1
161 M 34 - 6	6.82	4.02	10.0	2.8	6.7	0.5	9	_
162 M 34 - 7	6.69	4.19	8.0	2.5	5.0	0.5	8	1
163 M 34 - 8 164 M 35 - 1	6.70 6.83	3.20 4.44	10.0	3.5 2.4	6.0 7.1	0.5 0.5	10 10	1 1
165 M 35 - 4	6.81	3.26	9.0	3.6	5.0	0.5	9	1
166 M 36 - 2	6.64	3.94	8.0	2.7	4.8	0.5	8	1
167 M 36 - 3	6.72	3.02	7.0	3.7	3.3	-	-	1
168 M 36 - 4	6.66	3.71	5.0	3.0	2.1	-	_	1
169 M 36 - 5	6.67	4.19	8.5	2.5	5.5	0.5	7	
170 M 36 - 6	6.69	3.19	8.0	3.5	4.5	-	_	1
171 M 36 - 8	6.69	4.04	7.0	2.7	4.4	-	_	1
172 M 37 - 2	6.60	3.78	8.5	2.8	5.2	0.5	8	1
<b>173</b> M 37 - 3	6.57	3.57	4.0	3.0	1.0	-	_	1

İ			ボーリ	リングエ			土壤分析	- (検体)
				ž	掘削長の内訳(n	1)		
地点名	現地盤標高 (A.P.m)	旧地盤標高 (A.P.m)	掘削長 (m)	盛土部 (旧地盤面 以浅)	盛土以外 (旧地盤面 以深)	支障物部 (旧地盤面 以深)	油膜·油臭	TPH
<b>174</b> M 37 - 5	6.57	2.67	5.0	3.9	1.1	-	-	1
175 M 37 - 6	6.55	3.85	8.0	2.7	4.8	0.5	6	-
176 M 38 - 1	6.66	3.66	7.5	3.0	4.0	0.5	7	-
177 M 38 - 5	6.80	2.00	7.0	- 2.F	- 2.0	- 0 F	9	1
178 M 38 - 6 179 M 38 - 8	6.79 6.71	3.29 4.06	7.0 5.9	3.5 2.7	3.0	0.5	6	1
179 M 38 - 8 180 M 39 - 1	6.89	3.17	10.0	3.7	5.8	0.5	9	1
181 M 39 - 3	6.80	-	-	-	-	-	9	1
182 M 39 - 4	6.83	3.23	10.0	3.6	5.9	0.5	9	_
183 M 39 - 8	6.69	3.69	7.0	3.0	4.0	-	-	1
184 M 39 - 9	6.72	3.71	7.0	3.0	3.5	0.5	6	1
185 M 40 - 1	6.85	-	-	_	-	_	7	-
186 M 40 - 2	6.82	-	_	-	-	_	10	1
187 M 40 - 4	6.74	-	-	_	-	-	7	-
188 M 40 - 5	6.82	2.47	10.0	4.4	5.2	0.5	9	1
189 M 40 - 6	6.75	4.20	-	2.6	2.0	-	8	- 1
190 M 40 - 7 191 M 41 - 3	6.75 6.80	4.20 3.81	5.5 8.0	2.6 3.0	3.0 4.5	0.5	8	1
191 M 41 - 3 192 M 41 - 6	6.79	3.81	8.5	3.0	5.0	0.5	8	-
193 M 42 - 1	6.77	4.41	8.5	2.4	5.6	0.5	9	1
194 N 27 - 4	7.73	-	-	_	-	-	9	-
195 N 27 - 8	7.71	3.71	9.0	4.0	4.5	0.5	6	-
196 N 29 - 3	6.58	-	-	-	-	_	11	1
197 N 29 - 8	6.51	-	-	_	-		9	_
198 N 30 - 5	6.65	3.45	10.0	3.2	6.3	0.5	9	-
199 N 31 - 9	6.50	-	_	-	_	_	10	1
<b>200</b> N 32 - 4	6.43	3.23	5.0	3.2	1.8	_	-	1
201 N 32 - 5	6.59	3.74	10.0	2.8	6.7	0.5	9	
202 N 32 - 6	6.48	_		_, _	-	-	10	- 1
203 N 32 - 7 204 N 32 - 9	6.46 7.07	2.57	6.0	4.5	1.5		11	1
205 N 34 - 1	6.69	4.28	10.0	2.4	7.1	0.5	9	_
206 N 34 - 7	6.62	-	-	_	-	-	9	1
207 N 36 - 4	6.57	4.17	8.0	2.4	5.1	0.5	8	_
208 N 36 - 5	6.59	3.98	8.0	2.6	4.9	0.5	8	1
209 N 36 - 6	6.57	3.54	7.0	3.0	3.5	0.5	7	1
210 N 37 - 1	6.66	3.93	7.5	2.7	4.3	0.5	7	1
211 N 37 - 3	6.53	4.23	7.0	2.3	4.2	0.5	6	-
212 N 37 - 4	6.55	3.75	7.0	2.8	3.7	0.5	6	-
213 N 37 - 6	6.53	4.05	7.0	2.5	4.0	0.5	6	
214 N 37 - 8	6.50	3.90	9.0	2.6	5.9	0.5	9	_
215 N 37 - 9	6.51	4.01	8.0	2.5	5.0	0.5	8	1
216 N 38 - 2 217 N 38 - 7	6.60 6.51	3.99	9.0	2.6	5.9	0.5	8	1 -
218 N 38 - 8	6.58	2.38	5.0	4.2	0.8	_	-	1
219 N 39 - 4	6.70	3.68	10.0	3.0	6.5	0.5	9	_
220 N 39 - 5	6.67	3.67	7.5	3.0	4.0	0.5	7	1
221 N 39 - 7	6.55	4.25	7.0	2.3	4.2	0.5	8	1
222 N 39 - 8	6.51	-	-	-	-	I	6	-
223 N 40 - 1	6.74	2.74	10.0	4.0	5.5	0.5	9	1
224 N 40 - 4	6.78	4.29	10.0	2.5	7.0	0.5	10	1
225 N 40 - 8	6.79	4.58	10.0	2.2	7.3	0.5	10	-
226 N 41 - 1	6.78	3.93	8.0	2.8	4.7	0.5	9	1
227 N 41 - 2	6.71	3.35	9.0	3.4	5.1	0.5	9	1
228 N 41 - 9	6.73	4.33	8.0	2.4	5.1	0.5	9	1
229 O 26 - 2	8.57	_		-	-	-	10	
230 O 27 - 1	7.94 8.24	-			-	-	9	

			ボーリ	リングエ			土壤分析	(検体)
				排	醒削長の内訳(m	1)		
地点名	現地盤標高 (A.P.m)	旧地盤標高 (A.P.m)	掘削長 (m)	盛土部 (旧地盤面 以浅)	盛土以外 (旧地盤面 以深)	支障物部 (旧地盤面 以深)	油膜·油臭	TPH
232 O 28 - 4	7.54	-	-	-	-	-	10	-
233 O 30 - 4	6.43	_	-	_	_	_	9	-
234 O 31 - 6	6.46	_	_	_	=		10	1
235 O 31 - 9 236 O 32 - 3	5.74 6.46	4.16	10.0	2.3	7.2	0.5	10	1 –
236 O 32 - 3 237 O 33 - 1	6.52	4.10	-	2.3	-	-	10	1
238 O 33 - 3	6.53	_	_	_	_	_	10	1
239 O 33 - 5	6.52	4.20	7.0	2.3	4.2	0.5	6	
240 O 33 - 6	6.48	-	=	_	-	_	8	=
241 O 33 - 7	6.36	3.46	10.0	2.9	6.6	0.5	10	-
242 O 34 - 1	6.58	-	-	_	-	_	10	1
243 O 34 - 7	6.54	_	-	_	-	_	10	1
244 O 34 - 8	6.46	_	_	_	-	_	10	1
245 O 34 - 9	6.42	-	-	-	-	-	10	1
246 O 36 - 2	6.60	4.00	8.0	2.6	4.9	0.5	9	1
247 O 36 - 5	6.58 6.63	3.87 4.23	8.0 8.5	2.7	4.8 5.6	0.5	9	1
248 O 36 - 8 249 O 37 - 1	6.63	3.61	7.0	3.0	5.6 3.5	0.5	7	1
250 O 37 - 1 250 O 37 - 2	6.65	4.03	9.0	2.6	5.9	0.5	9	1
251 O 37 - 3	6.66	3.16	8.0	3.5	4.0	0.5	9	1
252 O 37 - 7	6.66	4.04	9.0	2.6	5.9	0.5	9	1
253 O 37 - 9	6.69	3.98	8.5	2.7	5.3	0.5	8	-
254 O 38 - 4	6.66	4.06	9.0	2.6	5.9	0.5	8	-
255 O 38 - 7	6.68	3.88	9.0	2.8	5.7	0.5	8	-
256 O 38 - 8	6.67	4.07	9.0	2.6	5.9	0.5	9	-
257 O 39 - 6	6.49	4.31	10.0	2.2	7.3	0.5	10	-
258 O 39 - 8	6.49	3.70	9.0	2.8	5.7	0.5	8	-
259 O 39 - 9	6.51	4.24	9.5	2.3	6.7	0.5	11	1
260 O 40 - 1	6.79	4.47	10.0	2.3	7.2	0.5	10	_
261 O 40 - 3 262 O 40 - 6	6.85	4.35	9.5	2.5	6.5	0.5	9	-
262 O 40 - 6 263 O 40 - 8	6.86 6.80	4.10 4.40	10.0	2.8	6.7 7.1	0.5	10	
264 O 40 - 9	6.81	-	-	-	-	-	9	_
265 O 41 - 1	6.88	_	_	_	_	_	7	1
<b>266</b> O 41 - 4	6.89	2.99	4.5	3.9	0.6	_	_	1
<b>267</b> O 41 - 5	6.80	3.15	4.0	3.7	0.4	-	-	1
268 O 41 - 6	6.79	4.39	8.0	2.4	5.1	0.5	7	-
269 O 41 - 7	6.81	4.09	9.5	2.7	6.3	0.5	9	1
270 O 41 - 8	6.80	4.64	9.0	2.2	6.3	0.5	9	_
271 O 41 - 9	6.77	4.17	9.0	2.6	5.9	0.5	9	1
272 O 42 - 8	6.74	4.60	9.0	2.1	6.4	0.5	9	_
273 P 27 - 3	1.57	1.02	6.0	0.6	5.0	0.5	7	-
274 P 27 - 9 275 P 28 - 1	4.22	-	_		-		9 7	
275 P 28 - 1 276 P 28 - 3	2.68	_		_			7	
277 P 28 - 4	4.26	_	_	_	_	_	10	1
278 P 28 - 6	4.32	_	-	_	-	-	7	-
279 P 28 - 7	4.26	-	_	-	-	_	11	1
280 P 28 - 8	4.21	-	-	-	ı	-	8	-
281 P 28 - 9	4.26	-	_	-	-	_	10	_
282 P 29 - 1	4.40	-	-	_	-	-	8	-
283 P 29 - 4	4.38	3.78	8.0	0.6	6.9	0.5	9	_
284 P 31 - 4	5.04	_	_	-	-	_	9	_
285 P 31 - 9	6.57	-	_	_	-	-	10	1
286 P 33 - 6	6.54	_	_	-	-	_	9	-
287 P 34 - 2	6.55	1.05	10.0	7.5	- 0.0	- 0 F	10	1
288 P 34 - 3 289 P 34 - 4	6.45 6.59	-1.05 3.89	7.0	7.5 2.7	2.0 4.3	0.5	5 -	1

			ボーリ	リングエ			土壌分析	 f(検体)
Lib 는 &				ł	屈削長の内訳 (m	n)		
地点名	現地盤標高 (A.P.m)	旧地盤標高 (A.P.m)	掘削長 (m)	盛土部 (旧地盤面 以浅)	盛土以外 (旧地盤面 以深)	支障物部 (旧地盤面 以深)	油膜·油臭	TPH
290 P 34 - 7	6.59	-		-	-	_	9	_
291 P 34 - 9	6.55	-	-	-	-	1	10	1
292 P 35 - 1	6.48	_	-	-	_	ı	8	1
293 P 35 - 3	6.53	-	-	-	-	_	9	1
<b>294</b> P 35 - 4	6.49	3.84	4.0	2.7	1.4	-	-	1
295 P 35 - 6	6.50	4.40	9.0	2.1	6.4	0.5	10	1
296 P 35 - 7	6.50	-	-	-	-	-	10	1
<b>297</b> P 35 - 9	6.59	2.69	8.0	3.9	4.1	-	-	1
298 P 36 - 1	6.49 6.55	4.51	9.0	2.0	6.5 6.3	0.5	10 9	1
299 P 36 - 5 300 P 36 - 9	6.49	4.30 4.89	9.0 8.5	1.6	6.4	0.5	9	1
300 P 36 - 9 301 P 37 - 1	6.70	4.00	8.5	2.7	5.3	0.5	9	1
302 P 37 - 2	6.69	4.28	8.0	2.4	5.1	0.5	9	1
303 P 37 - 3	6.65	4.14	9.6	2.5	6.6	0.5	7	-
<b>304</b> P 37 - 4	6.72	4.12	6.0	2.6	3.4	-	_	1
305 P 37 - 5	6.72	4.11	8.0	2.6	4.9	0.5	9	1
306 P 37 - 6	6.71	3.92	10.0	2.8	6.7	0.5	8	1
<b>307</b> P 37 - 7	6.56	3.76	6.0	2.8	3.2	ı	_	1
308 P 38 - 1	6.66	4.16	7.5	2.5	4.5	0.5	7	-
309 P 38 - 4	6.54	4.72	8.0	1.8	5.7	0.5	9	1
310 P 38 - 6	6.57	3.43	9.0	3.1	5.4	0.5	8	1
311 P 38 - 7	6.53	3.77	9.0	2.8	5.7	0.5	8	-
312 P 38 - 8	6.55	3.93	9.0	2.6	5.9	0.5	8	
313 P 39 - 8	6.46	3.96	9.5	2.5	6.5	0.5	10	1
314 P 40 - 1 315 P 40 - 2	6.65 6.75	4.34 4.23	10.0	2.3	7.2 7.0	0.5	10	- 1
315 P 40 - 2 316 P 40 - 3	6.77	4.23	10.0	2.5	-	- 0.0	10 7	1 –
317 P 40 - 4	6.69	4.05	10.0	2.6	6.9	0.5	9	_
318 P 40 - 7	6.65	4.20	10.0	2.5	7.0	0.5	9	
319 P 40 - 8	6.64	3.92	10.0	2.7	6.8	0.5	9	_
320 P 40 - 9	6.61	3.93	10.0	2.7	6.8	0.5	10	1
<b>321</b> P 41 - 1	6.82	4.32	4.0	2.5	1.5	1	-	1
322 P 41 - 3	6.74	-	-	-	-	_	6	_
323 P 41 - 4	6.74	4.60	10.0	2.1	7.4	0.5	11	1
324 P 41 - 6	6.70	3.70	9.0	3.0	5.5	0.5	9	1
325 P 41 - 7	6.69	4.53	10.0	2.2	7.3	0.5	10	
326 P 41 - 8	6.70	4.56	8.5	2.1	5.9	0.5	9	-
327 P 41 - 9	6.66	4.05	9.0	2.6	5.9	0.5	9 8	1
328 P 42 - 1 329 Q 30 - 3	6.76 4.52	4.06 3.67	9.0	0.9	5.8 6.7	0.5	10	1
329 Q 30 - 3 330 Q 31 - 3	6.59		-	0.9	-	-	11	1
331 Q 32 - 2	6.58	3.58	10.0	3.0	6.5	0.5	9	_
332 Q 34 - 1	6.54	-	-	-	-	-	9	1
333 Q 35 - 1	6.52	-	_	_	-	_	10	1
<b>334</b> Q 35 - 2	6.51	3.96	7.0	2.6	4.5	_	-	1
335 Q 35 - 3	6.57	-	-	-	-	П	9	1
336 Q 35 - 4	6.49	_	-	-	-	-	9	-
<b>337</b> Q 35 - 5	6.54	3.59	8.0	3.0	5.1	-	-	1
338 Q 35 - 6	6.55	-	-	_	-	-	11	1
339 Q 35 - 8	6.47	-	_	-	-	-	9	-
340 Q 36 - 1	6.57	- 4.00	-	- 0.5	-	-	9	1
<b>341</b> Q 36 - 2	6.52	4.02	8.0	2.5	5.5	- 0.5	10	1
342 Q 36 - 4 343 Q 36 - 5	6.50 6.57	3.30	10.0	3.2	6.3	0.5	10 9	1 1
343 Q 36 - 5 344 Q 36 - 7	6.46	3.46	4.0	3.0	1.0		- -	1
345 Q 36 - 8	6.53	-	-	-	-	_	9	1
346 Q 37 - 2	6.59	3.54	9.0	3.1	5.4	0.5	7	_
347 Q 37 - 5	6.57	3.65	9.0	2.9	5.6	0.5	8	_
	*			*				

			ボーリ	ングエ			土壤分析	「(検体)
地点名				ž	屈削長の内訳(m	1)		
NEW T	現地盤標高 (A.P.m)	旧地盤標高 (A.P.m)	掘削長 (m)	盛土部 (旧地盤面 以浅)	盛土以外 (旧地盤面 以深)	支障物部 (旧地盤面 以深)	油膜·油臭	TPH
<b>348</b> Q 37 - 7	6.57	3.27	7.0	3.3	3.7	=	-	1
349 Q 37 - 8	6.57	3.62	9.0	3.0	5.6	0.5	9	1
350 Q 37 - 9	6.54	3.65	9.0	2.9	5.6	0.5	8	_
351 Q 38 - 1	6.55	4.05	9.0	2.5	6.0	0.5	9	1
352 Q 38 - 2	6.54	4.74	9.0	1.8	6.7	0.5	8	_
353 Q 38 - 8	6.58	4.08	9.0	2.5	6.0	0.5	9	_
354 Q 38 - 9	6.57	3.37	9.0	3.2	5.3	0.5	7	_
355 Q 39 - 3	6.55	4.68	10.0	1.9	7.6	0.5	11	-
356 Q 39 - 4	6.54	4.33	10.0	2.2	7.3	0.5	11	1
357 Q 39 - 9	6.55	4.12	10.5	2.4	7.6	0.5	9	
358 Q 40 - 1	6.56	4.73	11.0	1.8	8.7	0.5	11	_
359 Q 40 - 2	6.55	3.05	9.0	3.5	5.0	0.5	9	1
360 Q 40 - 3	6.61	3.89	10.0	2.7	6.8	0.5	8	_
361 Q 40 - 4	6.51	4.50	10.0	2.0	7.5	0.5	10	_
362 Q 41 - 2	6.64	4.40	8.0	2.2	5.3	0.5	8	_
363 Q 41 - 5	6.62	3.97	8.0	2.7	4.8	0.5	7	_
364 Q 41 - 7	6.56	4.16	10.0	2.4	7.1	0.5	10	-
365 Q 41 - 8	6.51	3.61	11.0	2.9	7.6	0.5	10	-
366 Q 41 - 9	6.53	4.30	9.0	2.2	6.3	0.5	9	-
367 Q 42 - 3	10.31	-	_	-	-	-	7	_
368 Q 42 - 7	6.43	4.00	9.7	2.4	6.8	0.5	9	_
369 R 39 - 1	6.50	4.10	9.0	2.4	6.1	0.5	8	_
370 R 39 - 2	6.52	3.52	10.0	3.0	6.5	0.5	9	_
371 R 41 - 2	6.59	4.16	9.0	2.4	6.1	0.5	8	_
372 R 41 - 3	6.50	3.76	9.0	2.7	5.8	0.5	8	_
373 R 41 - 6	6.58	4.14	9.0	2.4	6.1	0.5	9	-
374 R 42 - 1	6.42	3.72	9.0	2.7	5.8	0.5	8	=
<b>375</b> N 40 - 9-1	6.82	2.57	10.3	4.2	5.6	0.5	-	_
<b>376</b> N 40 - 9-2	6.86	3.71	6.8	3.2	3.2	0.5	-	_
<b>377</b> N 40 - 9-3	6.85	2.45	9.8	4.4	4.9	0.5	_	-
<b>378</b> N 40 - 9-4	6.86	2.46	6.8	4.4	1.9	0.5	-	=
<b>379</b> Q 36 - 6-1	6.59	4.44	9.2	2.1	6.5	0.5	-	_
<b>380</b> Q 36 - 6-2	6.53	4.23	8.3	2.3	5.5	0.5	-	
<b>381</b> Q 36 - 6-3	6.51	3.91	9.0	2.6	5.9	0.5	-	=
<b>382</b> Q 36 - 6-4	6.54	4.09	8.3	2.5	5.3	0.5	-	_
合 計			2204.1	736.1	1,358.9	109.0	2,959	220

	= <del>+</del> \\\\ \	<del>5</del>			試料の	の油臭					油脂	莫量			24 144 145	性包束语
	試料名	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	H28-9	−0.15m	0						0							
2	WL GL-3.27m	−0.5m	0						0							
3	TPH GL-8.10m	−1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m		0					0							
6		−4.0m		0					0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-3.27m	0						0							
12		TPH GL-8.10m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	,			試料の	の油臭					油服	莫量			油性状	杜司東西
	言以不斗イ	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	H29-9	−0.15m	0						0							
2	WL GL-2.06m	−0.5m	0						0							
3	TPH GL-6.60m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m			0				0							
6		-4.0m				0								0		
7		−5.0m				0						0				
8		-6.0m		0					0							
9																
10																
11		WL GL-2.06m	0						0							
12		TPH GL-6.60m				0								0		
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del>5</del>			試料(	の油臭					油胆	莫量			油性状	特記事項
	<b>言</b> 五木斗 千	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記争垻
1	H30-7	−0.15m	0						0							
2	WL GL-3.89m	−0.5m		0					0							
3	TPH GL-8.90m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m		0						0						
8		−6.0m		0						0						
9																
10																
11		WL GL-3.89m		0					0							
12		TPH GL-8.90m			0									0		
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	<b>油性</b> 从	行記事項
1	H30-8	−0.15m	0						0							
2	WL GL-2.10m	−0.5m	0						0							
3	TPH GL-7.60m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m		0					0							
8																
9																
10																
11		WL GL-2.10m	0						0							
12		TPH GL-7.60m			0						0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名				試料(	の油臭					油胆	莫量			油性状	特記事項
	<b></b>		0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事 <b>垻</b>
1	H33-7	−0.15m	0						0							
2	WL GL-1.45m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.45m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	フ刊足万法・・・・0無実/1つつと思え				試料の						油脂				2th 4th 14th	性包毒石
	試料名	1	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	H36-6	−0.15m	0						0							
2	WL GL-1.40m	−0.5m	0						0							
3	TPH GL-5.00m	-1.0m		0						0						
4		−2.0m	0							0						
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-1.40m	0						0							
12		TPH GL-5.00m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	デルリム 0 無夫/1 でりこぶん			試料の							莫量			2년 학사 기구	#±=٦:कं रक
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	H40-4	−0.15m	0					0							
2	WL GL-7.40m	−0.5m	0					0							
3	TPH GL-5.20m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-7.40m	0					0							
12		TPH GL-5.20m			0							0			
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	7		試	料の油	由臭					油服	莫量			油性状	性包束石
	<b>言</b> 以不斗 化	<b>i</b>	0	1 2	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	H41-7	−0.15m	0						0							
2	WL GL-3.20m	−0.5m	0						0							
3	TPH GL-2.93m	−1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0							0						
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-3.20m	0						0							
12		TPH GL-2.93m			)					0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7			試料(	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗 7	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	I28-2	−0.15m		0								0				
2	WL GL-2.05m	−0.5m	0							0						
3	TPH GL-2.80m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m		0					0							
7		−5.0m		0					0							
В		−6.0m	0						0							
9																
0																
1		WL GL-2.05m	0							0						
2		TPH GL-2.80m		0								0				
3																
4																
5																
16																
7																
8																
9																
0																
1																
2																
23																
24																
5																
:6																
7																
8																
9																
80																

	試料名	7		記	料の	油臭					油脂	莫量			油性状	性到東西
	<b>言</b> 以不补 1	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
ı	I29-4	−0.15m	0						0							
2	WL GL-2.34m	-0.5m	0						0							
3	TPH GL-5.45m	-1.0m	0						0							
4		−2.0m		0					0							
5		-3.0m				0						0				
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.34m	0						0							
12		TPH GL-5.45m				0						0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	<del>&gt;</del>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>高</b> 式不平 1	<b>f</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	I30-7	−0.15m	0						0							
2	WL GL-3.10m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
В		−6.0m	0						0							
9																
0																
1		WL GL-3.10m	0						0							
2																
3																
4																
5																
6																
7																
8																
9																
20																
1																
22																
23																
24																
25																
6																
:7																
8																
9																
0																

	= <del>+</del> \u/\	7		試料	の油臭	:				油服	莫量			SH 바다 지수	性司声语
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I33-6	−0.15m	0					0							
2	WL GL-2.10m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.10m	0					0							
2															
3															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	= <del>+</del> \u/\	7		試料	の油臭					油服	莫量			SH 바다 지수	性司声语
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I33-9	−0.15m	0					0							
2	WL GL-2.20m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		-5.0m	0					0							
8		-6.0m	0					0							
9															
0															
11		WL GL-2.20m	0					0							
12															
3															
4															
15															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30		1													

	=+ \v/ .	<del>5</del>		Ē	式料の	の油臭	:				油服	莫量			Sets Note 기보고	性和声描
	試料名	Å	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I34-2	−0.15m	0						0							
2	WL GL-0.60m	−0.5m		0							0					
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-0.60m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	=+ \u/ 人	7		試料	の油臭					油服	莫量			24 44 41	性司声语
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I34-3	−0.15m	0					0							
2	WL GL-0.55m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
0															
11		WL GL-0.55m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	7		試料	の油臭	:				油服	莫量			Sets Note 기보고	性司声语
	<b>高</b> 式木斗名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I34-4	−0.15m	0					0							
2	WL GL-1.04m	−0.5m	0						0						
3		−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
0															
11		WL GL-1.04m	0					0							
2															
3															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

ш,	の判定方法…0無臭/1やっと感然 		1			の油臭		CALC C	12000	7 1320 14		英量			油性状	特記事項
	高八千十 <b>七</b>	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注水	付配争块
1	I34-5	−0.15m	0						0							
2	WL GL-0.65m	−0.5m	0						0							
3	TPH GL-7.90m	-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-0.65m	0						0							
12		TPH GL-7.90m	0							0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	5		試料	の油臭					油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	I36-1	−0.15m	0					0							
2	WL GL-1.70m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
0															
1		WL GL-1.70m	0					0							
12															
3															
4															
15															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
8															
29															
30					1										

	試料4	7		試料	の油臭					油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	I36-5	−0.15m	0					0							
2	WL GL-1.80m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-1.80m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	=+ \u/ 人	7		試料	の油臭					油服	莫量			SH 바다 지수	性到市伍
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I36-7	−0.15m	0					0							
2	WL GL-1.85m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-1.85m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	7		試料	の油臭					油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻 
1	I36-9	−0.15m	0					0							
2	WL GL-1.20m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-1.20m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	アリアングス 0無夫/1692窓が				試料の						油脂				2-h-h4h-d-12	<del>ਮ</del> ਾ ਤੋਂ। ਤੋਂ ਤੁਤ
	試料名		0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	138-9	−0.15m	0						0							
2	WL GL-1.72m	−0.5m	0						0							
3	TPH GL-7.80m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m		0						0						
8		−6.0m	0						0							
9																
10																
11		WL GL-1.72m	0						0							
12		TPH GL-7.80m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	刊足万法・・・・0無実/1つつと思丸				の油臭						莫量			2년 학사 기구	ا <del>د</del> ا جا جا
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I40-5	−0.15m	0					0							
2	WL GL-4.90m	−0.5m	0					0							
3	TPH GL-6.70m	−1.0m	0						0						
4		−2.0m	0						0						
5		−3.0m	0					0							
6		−4.0m		0						0					
7		−5.0m		0				0							
8		−6.0m		0				0							
9		−7.0m	0					0							
10															
11		WL GL-4.90m	0						0						
12		TPH GL-6.70m		0						0					
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

, L, C,	の判定方法…0無臭/1やっと感: 		1			の油臭		.,,,	1-000	, , , , , , , , , , , , , , , , , , , ,		莫量			油性状	特記事項
	高式 不斗 イ	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 項
1	I40-8	−0.15m		0						0						
2	WL GL-4.80m	−0.5m	0							0						
3	TPH GL-3.65m	−1.0m	0							0						
4		−2.0m	0						0							
5		−3.0m		0					0							
6		-4.0m		0					0							
7		−5.0m		0					0							
8		−6.0m	0						0							
9																
10																
11		WL GL-4.80m	0						0							
12		TPH GL-3.65m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	リ刊足万法・・・・0無実/1つつと感				試料の						油脂				2th 4th 14th	性包束语
	試料名	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	I41-9	−0.15m		0					0							
2	WL GL-1.71m	−0.5m			0					0						
3	TPH GL-3.90m	-1.0m	0						0							
4		−2.0m		0						0						
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0							0						
9		−7.0m	0						0							
10																
11		WL GL-1.71m	0						0							
12		TPH GL-3.90m				0						0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26				-	-	-	-									
27																
28																
29																
30																

	試料名	7		副	<b>は料の</b>	D油臭					油服	莫量			油性状	杜司東西
	<b>言</b> 以不斗 7	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	J26-3	−0.15m	0						0							
2	WL GL-5.90m	−0.5m	0						0							
3	TPH GL-7.80m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m		0						0						
6		−4.0m		0						0						
7		−5.0m		0						0						
8		−6.0m	0							0						
9																
10																
11		WL GL-5.90m	0						0							
12		TPH GL-7.80m				0								0		
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	武料	<del></del>		i	試料の	の油臭	:				油服	莫量			油性状	杜司市石
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	J28-2	−0.15m	0						0							
2	WL GL-2.50m	−0.5m	0						0							
3	TPH GL-4.45m	-1.0m		0						0						
4		−2.0m		0						0						
5		−3.0m		0					0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.50m	0						0							
12		TPH GL-4.45m			0								0			
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

ш <u>д</u> ,	の判定方法…0無臭/1やっと感然 		30 (0)			の油臭		CALCE!	12000	7 1320 14		英量	12000		油性状	特記事項
	<b>記入千十七</b>	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	J29-4	−0.15m	0						0							
2	WL GL-1.29m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.29m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<b>5</b>			試料の	の油臭					油脂	莫量			SHOWEN NEW	性司声语
	記入木斗名	Ā	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J29-7	−0.15m	0						0							
2	WL GL-3.10m	−0.5m	0						0							
3	TPH GL-3.90m	-1.0m	0						0							
4		−2.0m			0					0						
5		−3.0m	0							0						
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9		−7.0m	0							0						
10																
11		WL GL-3.10m	0						0							
12		TPH GL-3.90m			0								0			
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

		7		試料	の油臭					油服	莫量			SH 바다 지수	性到市伍
	<b>言</b> 式木斗 名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J31-3	−0.15m	0					0							
2	WL GL-2.22m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-2.22m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	5		試料	の油臭					油服	莫量			SH 바다 지수	杜司声语
	<b>訂本</b> 十名	Ď	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J32-5	−0.15m	0					0							
2	WL GL-1.15m	−0.5m	0					0							
3	TPH GL-5.50m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
10															
11		WL GL-1.15m	0					0							
12		TPH GL-5.50m		0				0							
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	判定方法…0無実/1やうと恋芸料名					の油臭						摸量			油性状	特記事項
	<b>古</b> 五千十十		0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	付配争垻
1	J32-6	−0.15m	0						0							
2	WL GL-2.35m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.35m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試料	の油臭	:				油胆	莫量			Sets Note 기보고	性和声描
	高 <b>八</b> 不斗 名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J33-6	−0.15m	0						0						
2	WL GL-3.10m	−0.5m	0						0						
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-3.10m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

		7		試料	の油臭	:				油服	莫量			SH 바다 지수	性司声语
	<b>言</b>	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J34-2	−0.15m	0					0							
2	WL GL-0.90m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-0.90m	0					0							
2															
3															
4															
5															
16															
17															
8															
19															
20															
21															
22															
23															
24															
25															
26															
27															
8															
29															
30															

	7刊正万法・・・○無実/ 1~つと悠ま			試料(							莫量			24 44 시스	性記事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J34-5	−0.15m	0					0							
2	WL GL-1.20m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-1.20m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	武料	<del>5</del>		試料	の油臭	<u> </u>				油服	莫量			油性状	杜司市石
	<b>言</b>	Å	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J34-7	−0.15m	0					0							
2	WL GL-3.60m	−0.5m	0					0							
3	TPH GL-4.45m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6															
7															
8															
9															
0															
11		WL GL-3.60m	0					0							
2		TPH GL-4.45m		0				0							
3															
4															
5															
6															
7															
8															
9															
0.															
21															
22															
23															
4															
5															
26															
27															
8.						1	_								
9															
0															

	試料名	7			試料(	の油臭					油服	莫量			油性状	性司事语
	高 <b>八</b> 不斗 名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	J34-8	−0.15m	0						0							
2	WL GL-2.85m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6																
7																
8																
9																
10																
11		WL GL-2.85m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試料	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗 化	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	J34-9	−0.15m	0					0							
2	WL GL-2.70m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.70m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	<del>&gt;</del>			試料の	の油臭	:				油服	莫量			油性状	性包束石
	<b>言</b> 五 不 子	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	J35-3	−0.15m		0					0							
2	WL GL-2.55m	−0.5m	0						0							
3	TPH GL-5.16m	-1.0m	0						0							
4		−2.0m			0				0							
5		−3.0m		0					0							
6																
7																
8																
9																
0																
11		WL GL-2.55m	0						0							
2		TPH GL-5.16m			0				0							
3																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25																
26																
27																
28																
9																
30																

					の油臭						莫量			5 <u>4</u> 44 J 15	4+ =1 = +E
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J35-4	−0.15m	0					0							
2	WL GL-2.40m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.40m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	,			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>高</b> 式不针 在	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	J35-5	−0.15m	0						0							
2	WL GL-3.30m	-0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7																
8																
9																
10																
11		WL GL-3.30m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	- 1 に J C 版				試料の						油脂				54 dat d 15	# =7 <del>=</del> ==
	試料名	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J35-8	−0.15m	0						0							
2	WL GL-2.80m	−0.5m	0						0							
3		-1.0m		0					0							
4		−2.0m		0					0							
5		−3.0m		0					0							
6																
7																
8																
9																
10																
11		WL GL-2.80m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	=+ \\\ \Z	7		試料	の油臭					油服	莫量			Sets Note 기보고	性包束语
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J36-4	−0.15m	0					0							
2	WL GL-1.40m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
0															
11		WL GL-1.40m	0					0							
2															
3															
4															
15															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

, L, C,	カ判定方法…0無臭/1やっと感: 					の油臭		.,,,	1-000	, 13240 11		莫量	00 0		油性状	特記事項
	高式 不斗 イ	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	田1生1人	行記事 <b>垻</b>
1	J36-5	−0.15m		0					0							
2	WL GL-2.40m	−0.5m	0						0							
3	TPH GL-4.15m	−1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m		0					0							
6		-4.0m	0						0							
7																
8																
9																
10																
11		WL GL-2.40m	0						0							
12		TPH GL-4.15m						0						0		
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del>&gt;</del>		試	料の油	臭					油服	莫量			油性状	特記事項
	<b>言</b> 以不平 1	<b>5</b>	0	1 :	2 ;	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 項
	J36-6	−0.15m	0						0							
2	WL GL-1.70m	−0.5m	0						0							
3	TPH GL-4.62m	-1.0m	0						0							
4		−2.0m		0							0					
5		−3.0m	0						0							
6		-4.0m		0					0							
7																
8																
9																
10																
11		WL GL-1.70m	0						0							
2		TPH GL-4.62m		0							0					
3																
4																
15																
16																
17																
8																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	刊正万法・・・0無実/1つつと悠太				の油臭						莫量			ንተነ ነተት ሳተን	性司声语
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J37-4	−0.15m		0				0							
2	WL GL-4.30m	−0.5m		0				0							
3	TPH GL-7.30m	-1.0m		0				0							
4		−2.0m		0				0							
5		−3.0m	0					0							
6		-4.0m		0					0						
7															
8															
9															
10															
11		WL GL-4.30m		0				0							
12		TPH GL-7.30m		0					0						
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	7刊正万法…0無実/1やつと悠太			試料の							莫量			24 44 시스	性司事項
	試料名	I	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J37-5	−0.15m	0					0							
2	WL GL-3.10m	−0.5m	0					0							
3	TPH GL-6.61m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0						0						
7															
8															
9															
10															
11		WL GL-3.10m	0					0							
12		TPH GL-6.61m	0						0						
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	7			試料の	の油臭					油肌	莫量			油性状	性包束石
	<b>言</b> 以不斗 1	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	J37-6	−0.15m	0						0							
2	WL GL-1.99m	−0.5m	0						0							
3	TPH GL-4.15m	-1.0m	0						0							
4		−2.0m			0				0							
5		-3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.99m	0						0							
2		TPH GL-4.15m			0				0							
13																
4																
5																
16																
17																
8																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28					-											
29																
30					-											

	試料名	7			試料(	の油臭	:				油膜	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	J37-7	−0.15m	0						0							
2	WL GL-2.50m	−0.5m	0						0							
3	TPH GL-6.70m	-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		-4.0m		0					0							
7		-5.0m		0					0							
3																
9																
0																
1		WL GL-2.50m	0						0							
2		TPH GL-6.70m			0				0							
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
23																
4																
5																
6																
7																
8																
9																
0																

	試料名				試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>試料</b> 名	1	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記事 <b>垻</b>
1	J38-6	−0.15m	0						0							
2	WL GL-1.90m	−0.5m	0						0							
3	TPH GL-7.10m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
В		−6.0m	0						0							
9		−7.0m	0						0							
0																
1		WL GL-1.90m	0						0							
2		TPH GL-7.10m		0					0							
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
23																
24																
5																
6																
7																
8																
9																
0																

	7刊正万法…0無実/1やつと悠知				の油臭						莫量			24 44 시스	性司事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J38-9	−0.15m		0				0							
2	WL GL-2.35m	−0.5m	0					0							
3		−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m		0				0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-2.35m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7		試	料の油	臭					油服	莫量			油性状	杜司市西
	言以不斗イ	<b>i</b>	0	1 2	! ;	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	J39-1	−0.15m	0						0							
2	WL GL-2.60m	−0.5m	0						0							
3	TPH GL-4.58m	−1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9		-7.0m	0						0							
10																
11		WL GL-2.60m	0						0							
12		TPH GL-4.58m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30						Ī										

	= <del>+</del> \\/\	7		試料	の油臭					油服	莫量			SH NH 기구	性司事項
	試料名	i	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J39-2	−0.15m	0					0							
2	WL GL-2.03m	-0.5m	0					0							
3	TPH GL-7.80m	-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		-5.0m		0				0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.03m	0					0							
12		TPH GL-7.80m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	プ刊足力法・・・・0無臭/1やつと悠:					の油臭					油脂				24.44.45	性包毒石
	試料名	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J39-5	−0.15m	0						0							
2	WL GL-2.60m	−0.5m	0						0							
3	TPH GL-7.60m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9		−7.0m	0						0							
10																
11		WL GL-2.60m	0						0							
12		TPH GL-7.60m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26				-		-	-						-			
27																
28																
29																
30																

	試料名	7			試料(	の油臭					油膜	量			油性状	特記事項
	言以不斗イ	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	J39-8	−0.15m	0						0							
2	WL GL-2.80m	−0.5m	0						0							
3	TPH GL-7.00m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m		0						0						
7		−5.0m			0				0							
3		-6.0m		0					0							
9																
0																
1		WL GL-2.80m	0						0							
2		TPH GL-7.00m			0					0						
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
:3																
4																
:5																
6																
.7																
8																
9																
0																

	武料	<del></del>			試料(	の油臭	:				油肌	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	J39-9	−0.15m	0						0							
2	WL GL-3.05m	−0.5m	0						0							
3	TPH GL-4.00m	-1.0m					0			0						
4		−2.0m				0				0						
5		−3.0m			0				0							
6		−4.0m		0					0							
7																
8																
9																
10																
11		WL GL-3.05m	0						0							
12		TPH GL-4.00m					0					0				
13																
4																
5																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		試	料のシ	由臭					油脂	莫量			油性状	杜司市西
	<b>言</b> 以不斗 化	<b>i</b>	0	1 :	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	J40-1	−0.15m	0						0							
2	WL GL-3.60m	−0.5m	0						0							
3	TPH GL-6.90m	-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0							0						
6		-4.0m		0					0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-3.60m	0						0							
12		TPH GL-6.90m		(	)					0						
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	武料	<b>4</b>			試料(	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	J40-2	−0.15m	0						0							
2	WL GL-3.70m	−0.5m			0					0						
3	TPH GL-3.80m	-1.0m	0						0							
4		−2.0m		0						0						
5		−3.0m	0						0							
6																
7																
8																
9																
0																
11		WL GL-3.70m		0					0							
2		TPH GL-3.80m			0					0						
3																
4																
15																
16																
17																
8																
9																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	刊正万法・・・0無実/1やつと悠知			試料の							莫量			ንተነ ነተት ሳተን	性司声语
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	J40-7	−0.15m		0				0							
2	WL GL-1.45m	−0.5m		0				0							
3	TPH GL-5.40m	−1.0m		0				0							
4		−2.0m			0			0							
5		−3.0m			0			0							
6		−4.0m	0						0						
7		−5.0m		0				0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-1.45m	0					0							
12		TPH GL-5.40m			0								0		
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	判定方法…0無臭/1やっと感 					の油臭					油脂				油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事項
1	J41-3	−0.15m	0						0							
2	WL GL-1.71m	−0.5m	0						0							
3	TPH GL-5.00m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.71m	0						0							
12		TPH GL-5.00m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊足万法・・・0無実/1つつと感: =÷**/1√				試料の						油脂				211 44 41	性包毒石
	試料名	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K26-6	−0.15m	0						0							
2	WL GL-5.00m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-5.00m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del></del>		試米	の油	臭				油服	莫量			油性状	特記事項
	高 <b>八</b> 不升 1	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 項
1	K27-2	−0.15m	0					0							
2	WL GL-6.10m	−0.5m	0					0							
3	TPH GL-4.80m	-1.0m			0					0					
4		−2.0m		0				0							
5		−3.0m		0				0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-6.10m		0				0							
12		TPH GL-4.80m			0					0					
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

				試料(						莫量			5 <u>4</u> 44 J 15	4+ = 7 = * * * *
	試料名	á	0	1 2	3	4	5	無	極微	少	中	多	油性状	特記事項
1	K28-5	−0.15m	0					0						
2	WL GL-3.60m	−0.5m	0					0						
3	TPH GL-3.65m	-1.0m	0					0						
4		-2.0m	0					0						
5		-3.0m	0					0						
6														
7														
8														
9														
10														
11		WL GL-3.60m	0						0					
12		TPH GL-3.65m	0						0					
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														

	試料	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	高 <b>八</b> 不升 1	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事項
1	K28-8	−0.15m	0						0							
2	WL GL-4.80m	−0.5m	0						0							
3	TPH GL-7.25m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0								0					
8																
9																
10																
11		WL GL-4.80m	0						0							
12		TPH GL-7.25m					0							0		
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	,			式料の	の油臭	:				油服	莫量			油性状	杜司市石
	<b>高</b> 丸不斗 名	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	K29-2	−0.15m	0						0							
2	WL GL-0.75m	−0.5m	0						0							
3	TPH GL-8.10m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m		0					0							
6		-4.0m		0						0						
7		−5.0m			0						0					
8		−6.0m				0						0				
9		−7.0m	0						0							
10																
11		WL GL-0.75m	0						0							
12		TPH GL-8.10m				0						0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del>5</del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	高 <b>八</b> 不升 1	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	K29-5	−0.15m	0						0							
2	WL GL-4.20m	−0.5m	0						0							
3	TPH GL-7.05m	-1.0m		0						0						
4		−2.0m		0						0						
5		−3.0m		0						0						
6		−4.0m	0						0							
7		−5.0m		0					0							
8		−6.0m		0					0							
9																
10																
11		WL GL-4.20m	0						0							
12		TPH GL-7.05m				0					0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7			試料(	の油臭					油膜	量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	K29-9	−0.15m	0						0							
2	WL GL-4.10m	−0.5m	0						0							
3	TPH GL-5.10m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m		0					0							
7		−5.0m		0						0						
3		−6.0m	0						0							
9		−7.0m	0						0							
0																
1		WL GL-4.10m	0						0							
2		TPH GL-5.10m			0					0						
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
23																
4																
5																
6																
7																
8												-				
9																
0																

	試料4	<del>5</del>			試料(	の油臭	:				油膜	量			油性状	特記事項
	<b>訂</b> 工不平 1	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	K30-1	−0.15m	0						0							
2	WL GL-2.20m	−0.5m	0						0							
3	TPH GL-6.40m	-1.0m	0						0							
1		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m				0						0				
7		−5.0m		0						0						
8		−6.0m	0						0							
9		−7.0m	0							0						
0																
1		WL GL-2.20m	0						0							
2		TPH GL-6.40m				0						0				
3																
4																
5																
6																
7																
8																
9																
20																
1																
22																
23																
4																
:5																
6																
.7																
8																
9																
30																

	試料4	<del></del>			試料(	の油臭					油服	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	K30-4	−0.15m			0						0					
2	WL GL-4.80m	−0.5m			0					0						
3	TPH GL-7.60m	-1.0m				0					0					
4		−2.0m		0						0						
5		−3.0m				0					0					
6																
7																
8																
9																
10																
11		WL GL-4.80m	0								0					
12		TPH GL-7.60m				0						0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del></del>			試料の	の油臭	:				油服	莫量			油性状	性包束石
	高 <b>八</b> 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	K31-5	−0.15m	0						0							
2	WL GL-1.47m	−0.5m	0						0							
3	TPH GL-4.70m	-1.0m			0						0					
4		−2.0m		0					0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-1.47m	0						0							
12		TPH GL-4.70m			0						0					
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	<del>5</del>		尪	料の	油臭					油服	莫量			SH NH 기구	性司事语
	<b>言</b> 式木斗名	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K31-8	−0.15m	0						0							
2	WL GL-3.60m	−0.5m	0						0							
3	TPH GL-5.00m	−1.0m		0						0						
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-3.60m	0						0							
12		TPH GL-5.00m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料:	<del>5</del>			試料の	の油臭	:				油服	莫量			油性状	性司事语
	<b>高</b> 式 不 半 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	K32-1	−0.15m	0						0							
2	WL GL-2.60m	−0.5m	0						0							
3	TPH GL-4.60m	-1.0m		0					0							
4		−2.0m			0				0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.60m	0						0							
2		TPH GL-4.60m			0				0							
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		試	料の油	臭					油服	莫量			油性状	性司声语
	<b>言</b> 以不补 1	5	0	1 2	3	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	K32-2	−0.15m	0						0							
2	WL GL-4.70m	−0.5m	0						0							
3	TPH GL-6.70m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m	0							0						
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-4.70m	0						0							
12		TPH GL-6.70m		0						0						
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		試剝	料の油.	臭					油胆	莫量			油性状	性司声语
	<b>言</b> 式木斗名	á	0	1 2	3		4	5	無	極微	微	少	中	多	油性状	特記事項
1	K32-5	−0.15m	0						0							
2	WL GL-2.30m	−0.5m	0							0						
3	TPH GL-4.30m	-1.0m		0						0						
4		-2.0m	0						0							
5		-3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
0																
11		WL GL-2.30m	0						0							
12		TPH GL-4.30m		0						0						
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7			試料の	の油臭	:				油服	莫量			油性状	杜司東西
	<b>言</b> 以不斗 7	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	K32-7	−0.15m	0						0							
2	WL GL-1.97m	−0.5m	0						0							
3	TPH GL-5.00m	-1.0m	0						0							
4		−2.0m			0					0						
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.97m	0						0							
12		TPH GL-5.00m			0						0					
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	刊走方法・・・0無実/1~つと悠ま				試料の							莫量			211 44 41	特記事項
	試料名	1	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記事項
1	K32-8	−0.15m	0						0							
2	WL GL-1.98m	−0.5m	0							0						
3	TPH GL-4.00m	−1.0m		0						0						
4		−2.0m				0							0			
5		−3.0m	0							0						
6		-4.0m				0						0				
7		−5.0m	0							0						
8		−6.0m	0						0							
9																
10																
11		WL GL-1.98m	0						0							
12		TPH GL-4.00m				0								0		
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊正万法…0無実/1やつと悠太			試料の							莫量			24 44 시스	性記事項
	試料名	I	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K32-9	−0.15m	0					0							
2	WL GL-2.45m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.45m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 以不补?	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	<b>油性</b> 从	行記 <del>事</del> 垻
1	K33-3	−0.15m		0						0						
2	WL GL-1.30m	−0.5m	0						0							
3	TPH GL-3.65m	-1.0m		0					0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.30m	0						0							
12		TPH GL-3.65m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	= <del>+</del> \/\/ .	Ø			試料(	の油臭	:				油服	莫量			2th bH JH	性司事項
	試料	名	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K33-4	−0.15m	0						0							
2	WL GL-2.80m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.80m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		試剝	料の油	臭					油服	莫量			油性状	杜司声语
	<b>言</b> 以不斗イ	5	0	1 2	3		4	5	無	極微	微	少	中	多	油注扒	特記事項
	K33-6	−0.15m	0						0							
2	WL GL-0.70m	−0.5m	0						0							
3	TPH GL-3.90m	-1.0m		0							0					
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-0.70m	0						0							
12		TPH GL-3.90m		0							0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名				試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>試料</b> 石		0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	K34-1	−0.15m	0						0							
2	WL GL-2.47m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-2.47m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del></del>			試料(	の油臭	:				油脂	量			油性状	特記事項
	<b>高</b> 式 不 升 ?	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項 
1	K34-2	−0.15m	0							0						
2	WL GL-3.45m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0							0						
8		−6.0m	0						0							
9																
0																
1		WL GL-3.45m	0						0							
2																
3																
4																
5																
16																
7																
8																
9																
20																
1																
22																
23																
24																
25																
:6																
:7																
8																
9																
30																

	武料	<del>5</del>		試料	神の油身	1				油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	K34-3	−0.15m	0					0							
2	WL GL-1.40m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
0															
1		WL GL-1.40m	0					0							
2															
3															
4															
15															
16															
7															
8															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30			1												

	試料4	5		試料	の油臭	:				油服	莫量			Sets 하는 지수	性到市伍
	<b>記入本外</b> 名	Ď	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K34-4	−0.15m	0					0							
2	WL GL-0.73m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
1		WL GL-0.73m	0					0							
2															
3															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	一			試料の							莫量			\$44.J	4+ =1 = +=
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K34-5	−0.15m	0					0							
2	WL GL-2.40m	−0.5m	0						0						
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0						0						
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-2.40m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	7刊足万法…0無実/1やつと悠知			試料の							莫量			24 44 시스	性記事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K34-7	−0.15m	0					0							
2	WL GL-0.80m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-0.80m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

		7		討	料の	油臭					油服	莫量			SH 바다 지수	性司声语
	<b>言</b>	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K34-8	−0.15m	0						0							
2	WL GL-0.70m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-0.70m	0						0							
12																
3																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	=+ \u/ 人	7		試料	の油臭					油服	莫量			SH 바다 지수	性司声语
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K35-1	−0.15m	0					0							
2	WL GL-1.25m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		-5.0m	0					0							
8		-6.0m	0					0							
9															
0															
11		WL GL-1.25m	0					0							
12															
3															
4															
15															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30		1													

	試料名	7			試料(	の油臭					油脂	莫量			油性状	性包束语
	高 <b>八</b> 不升 名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	K35-2	−0.15m	0						0							
2	WL GL-2.70m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6																
7																
8																
9																
10																
11		WL GL-2.70m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

ш <u>д</u> ,	の判定方法…0無臭/1やっと感然 		130 (13)	W/7 17/2		の油臭		CALCE!	12000	7 1320 14		英量	12000		油性状	特記事項
	高 <b>八</b> 不斗 在	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	K35-3	−0.15m	0						0							
2	WL GL-3.20m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7																
8																
9																
10																
11		WL GL-3.20m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	試料名	,		試	斗の油	臭				油服	莫量			油性状	特記事項
	<b>試入社</b>	1	0	1 2	3	4	4 5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	K35-9	−0.15m	0					0							
2	WL GL-2.26m	−0.5m	0					0							
3	TPH GL-5.10m	-1.0m		0				0							
4		-2.0m		0				0							
5		−3.0m		0				0							
6		-4.0m		0				0							
7															
8															
9															
10															
11		WL GL-2.26m	0					0							
12		TPH GL-5.10m		C	)			0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	武料	5		記	料の	油臭					油服	莫量			SH 바다 지수	性司声语
	<b>訂</b> 本 十 千	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K36-2	−0.15m		0					0							
2	WL GL-1.70m	−0.5m	0						0							
3	TPH GL-5.20m	-1.0m		0					0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		-4.0m		0					0							
7		−5.0m		0					0							
8																
9																
10																
11		WL GL-1.70m	0						0							
12		TPH GL-5.20m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25							-				-					
26																
27																
28																
29																
30																

	武料	<del>&gt;</del>		둞	料の消	由臭					油肌	莫量			油性状	た まる は まま は こうしょう は まま は
	<b>言</b> 五 不 子	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	K36-3	−0.15m	0						0							
2	WL GL-3.95m	−0.5m	0						0							
3	TPH GL-8.15m	-1.0m		0					0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		-4.0m		0					0							
7																
8																
9																
10																
11		WL GL-3.95m	0						0							
2		TPH GL-8.15m		(	)				0							
13																
4																
5																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del></del>			試料の	の油臭					油脂	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事垻
1	K36-5	−0.15m	0						0							
2	WL GL-1.35m	−0.5m	0						0							
3	TPH GL-6.70m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m			0				0							
6		−4.0m			0				0							
7																
8																
9																
10																
11		WL GL-1.35m	0						0							
12		TPH GL-6.70m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名			試料(	の油臭	:				油服	莫量			油性状	特記事項
	<b>試不补</b> 石		0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	K36-7	−0.15m	0					0							
2	WL GL-0.60m	−0.5m	0					0							
3	TPH GL-4.75m	−1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-0.60m	0					0							
12		TPH GL-4.75m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7			試料(	の油臭					油膜	量			油性状	特記事項
	<b>言</b> 以不斗 7	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	K37-4	−0.15m	0						0							
2	WL GL-2.19m	−0.5m	0						0							
3	TPH GL-5.25m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m			0				0							
6		−4.0m		0					0							
7		−5.0m	0						0							
3																
9																
0																
1		WL GL-2.19m	0						0							
2		TPH GL-5.25m			0				0							
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
:3																
4																
5																
6																
.7																
8																
9																
0																

	試料名				の油臭						莫量			油性状	特記事項
	<b></b>		0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	K37-7	−0.15m	0					0							
2	WL GL-2.13m	−0.5m	0					0							
3	TPH GL-5.90m	−1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m		0				0							
6		−4.0m		0				0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.13m	0					0							
12		TPH GL-5.90m		0						0					
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名				試料の	の油臭						莫量			油性状	特記事項
	<b>高</b> 式不补仓	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	付配争垻
1	K39-3	−0.15m		0					0							
2	WL GL-1.45m	−0.5m	0						0							
3	TPH GL-5.75m	-1.0m			0				0							
4		−2.0m	0								0					
5		−3.0m		0					0							
6		-4.0m			0				0							
7		−5.0m		0					0							
8																
9																
10																
11		WL GL-1.45m	0						0							
12		TPH GL-5.75m	0								0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊足万法・・・0無実/1つつと感			,		の油臭					油脂				24.44.45	性包束语
	試料名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K39-5	−0.15m	0						0							
2	WL GL-2.30m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7																
8																
9																
10																
11		WL GL-2.30m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25			<u> </u>			-	-									
26			<u> </u>													
27			<u> </u>			-	-									
28																
29			<u> </u>			-	-									
30																

	試料4	7		試	料の油:	臭				油服	莫量			油性状	性司声语
	<b>言</b> 以不补 1	1	0	1 2	3	4	1 5	無	極微	微	少	中	多	油注扒	特記事項
1	K39-9	−0.15m	0					0							
2	WL GL-1.70m	-0.5m	0					0							
3	TPH GL-8.00m	-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m		0				0							
6		-4.0m	0					0							
7		-5.0m	0						0						
8		-6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-1.70m	0					0							
2		TPH GL-8.00m	0						0						
13															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
8															
9															
30															

	試料4	<del>7</del>		i	試料の	の油臭	:				油	莫量			油性状	杜司市石
	<b>訂</b> 本十名	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	出性状	特記事項
1	K40-1	−0.15m	0						0							
2	WL GL-3.25m	−0.5m	0						0							
3	TPH GL-3.90m	-1.0m		0					0							
4		−2.0m			0							0				
5		−3.0m		0							0					
6		-4.0m		0						0						
7		−5.0m		0					0							
8		−6.0m		0					0							
9		−7.0m		0					0							
10																
11		WL GL-3.25m	0						0							
12		TPH GL-3.90m			0							0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7			試料の	の油臭	:				油服	莫量			油性状	杜司市石
	<b>言</b> 以不斗 化	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	K40-3	−0.15m	0						0							
2	WL GL-1.44m	−0.5m	0						0							
3	TPH GL-3.70m	-1.0m			0						0					
4		−2.0m		0						0						
5		-3.0m		0					0							
6		−4.0m		0						0						
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.44m	0						0							
12		TPH GL-3.70m				0					0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	利定方法・・・0無臭/1やつと燃丸			試料(							莫量			24 44 시스	性司事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	K40-4	−0.15m	0					0							
2	WL GL-1.91m	−0.5m	0					0							
3	TPH GL-6.60m	−1.0m		0				0							
4		−2.0m		0				0							
5		−3.0m		0				0							
6		−4.0m		0				0							
7		−5.0m		0				0							
8															
9															
10															
11		WL GL-1.91m	0					0							
12		TPH GL-6.60m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記 <del>事</del> 垻
1	K40-5	−0.15m	0						0							
2	WL GL-2.13m	−0.5m	0						0							
3	TPH GL-3.70m	-1.0m			0				0							
4		−2.0m		0					0							
5		−3.0m		0					0							
6		−4.0m			0				0							
7		−5.0m		0					0							
8		−6.0m		0					0							
9																
10																
11		WL GL-2.13m	0						0							
12		TPH GL-3.70m				0						0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7			試料(	の油臭					油膜	量			油性状	特記事項
	<b>言</b> 五 不 子	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 項
1	K41-1	−0.15m	0						0							
2	WL GL-2.00m	−0.5m	0						0							
3	TPH GL-7.60m	-1.0m	0						0							
1		-2.0m	0						0							
5		-3.0m		0						0						
3		-4.0m		0						0						
7		−5.0m		0					0							
3		-6.0m		0					0							
9																
0																
1		WL GL-2.00m	0						0							
2		TPH GL-7.60m			0					0						
3																
4																
5																
6																
7																
8																
9																
:0																
1																
2																
:3																
4																
5																
6																
7																
8																
9																
0		1														

	試料:	<del>5</del>		Ī	式料(	の油臭	:				油服	莫量			油性状	杜司市石
	高 <b>八</b> 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	K41-4	−0.15m		0					0							
2	WL GL-2.50m	−0.5m		0						0						
3	TPH GL-4.85m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7																
8																
9																
0																
11		WL GL-2.50m	0						0							
2		TPH GL-4.85m		0						0						
3																
4																
5																
16																
17																
8																
19																
20																
21																
22																
23																
24																
25																
26																
27																
8																
9																
30																

	ワ刊正万法・・・・0無実/1つつと思え				試料の						油脂				24.44.45	性包束语
	試料名	1	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L27-2	−0.15m	0						0							
2	WL GL-7.35m	−0.5m	0						0							
3	TPH GL-8.30m	−1.0m	0						0							
4		-2.0m	0						0							
5		−3.0m		0					0							
6		-4.0m		0						0						
7																
8																
9																
10																
11		WL GL-7.35m	0						0							
12		TPH GL-8.30m			0								0			
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del></del>			試料(	の油臭					油胆	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	<b>油性</b> 从	行記事項
1	L30-7	−0.15m				0			0							
2	WL GL-7.50m	−0.5m				0			0							
3	TPH GL-6.90m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m				0			0							
6		−4.0m				0				0						
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-7.50m			0				0							
12		TPH GL-6.90m				0					0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

L31-1		= <del>+</del> \\\\	<del>5</del>			試料(	の油臭	:				油脂	莫量			油性状	性和毒病
WL GL-520m		<b>記入木</b> 半名	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
TPH GL-520m	1	L31-1	−0.15m	0						0							
-2.0m	2	WL GL-5.20m	−0.5m	0						0							
-3.0m O O O O O O O O O O O O O O O O O O O	3	TPH GL-5.20m	−1.0m	0						0							
-4.0m O O O O O O O O O O O O O O O O O O O	4		−2.0m			0							0				
-5.0m O O O O O O O O O O O O O O O O O O O	5		−3.0m	0						0							
-6.0m O O O O O O O O O O O O O O O O O O O	6		−4.0m	0						0							
WL GL-5.20m O O O O O O O O O O O O O O O O O O O	7		−5.0m	0						0							
WL GL-5.20m O O O O O O O O O O O O O O O O O O O	8		−6.0m	0						0							
WL GL-5.20m O O O O O O O O O O O O O O O O O O O	9																
TPH GL-5.20m O O O O O O O O O O O O O O O O O O O	10																
	11		WL GL-5.20m	0						0							
	12		TPH GL-5.20m				0						0				
	13																
	14																
	15																
	16																
	17																
	18																
	19																
	20																
	21																
	22																
	23																
	24																
	25																
	26																
	27																
	28																
	29																
	30																

	試料名			試料の	の油臭	:				油脂	莫量			油性状	特記事項
	<b></b>		0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	L31-4	−0.15m	0					0							
2	WL GL-2.25m	−0.5m	0					0							
3	TPH GL-4.10m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-2.25m	0					0							
12		TPH GL-4.10m			0								0		
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

		7		試料	の油臭	ļ				油服	莫量			24. k4. J.L	性司声语
	記入木斗名	i	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L31-7	−0.15m	0					0							
2	WL GL-1.70m	−0.5m	0					0							
3	TPH GL-7.10m	-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0						0						
6		-4.0m	0					0							
7		-5.0m	0					0							
8															
9															
10															
11		WL GL-1.70m	0					0							
12		TPH GL-7.10m	0						0						
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30					1										

	試料名	7		試料	の油臭	:				油服	莫量			油性状	性到市伍
	<b>言</b> 以不斗 化	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	L32-3	−0.15m	0					0							
2	WL GL-3.20m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
0															
1		WL GL-3.20m	0					0							
12															
3															
4															
5															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
8															
29															
30		1													

				試料(	の油臭	:				油服	莫量			油性状	特記事項
	<b></b>	l	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記争垻
1	L32-4	−0.15m	0					0							
2	WL GL-0.37m	−0.5m	0					0							
3	TPH GL-3.74m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0						0						
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-0.37m	0					0							
12		TPH GL-3.74m		0						0					
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	,		試料	の油臭	ļ				油服	莫量			油性状	性司声语
	<b>試料</b> 名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L32-9	−0.15m	0					0							
2	WL GL-3.80m	−0.5m	0					0							
3	TPH GL-7.70m	-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-3.80m	0					0							
12		TPH GL-7.70m		0					0						
13															
14															
15															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
8															
29															
30															

	試料4	7		Ī	式料の	の油臭	:				油服	莫量			SH 바다 지수	性包束语
	<b>言</b>	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L33-1	−0.15m	0						0							
2	WL GL-3.40m	−0.5m		0					0							
3		-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
0																
11		WL GL-3.40m	0						0							
12																
3																
4																
15																
16																
7																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30		1	1													

	試料名	7			試料(	の油臭	:				油膊	量			油性状	特記事項
	<b>高</b> 式不针 名	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	L33-6	−0.15m	0						0							
2	WL GL-1.25m	-0.5m	0						0							
3	TPH GL-5.00m	-1.0m		0					0							
4		−2.0m		0								0				
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
В		-6.0m	0						0							
9																
0																
1		WL GL-1.25m	0						0							
2		TPH GL-5.00m		0								0				
3																
4																
5																
6																
7																
8																
9																
20																
1																
2																
23																
4																
:5																
6																
:7																
8																
9																
0																

	= <del>+</del> \\/\	7		討	料の	油臭					油服	莫量			544 V47	杜司声语
	試料名	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L33-7	−0.15m	0						0							
2	WL GL-3.70m	−0.5m	0						0							
3	TPH GL-7.70m	-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m		0					0							
6		-4.0m		0					0							
7		−5.0m		0					0							
8		-6.0m	0						0							
9																
10																
11		WL GL-3.70m	0						0							
12		TPH GL-7.70m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<i>5</i>			試料(	の油臭					油服	莫量			油性状	特記事項
	<b>言</b> 以不补?	白	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記 <del>事</del> 垻
1	L34-3	−0.15m	0						0							
2	WL GL-1.78m	−0.5m	0						0							
3	TPH GL-7.60m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9		−7.0m	0						0							
10																
11		WL GL-1.78m	0						0							
12		TPH GL-7.60m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊正万法・・・○無実/ 1~つと悠ま			試料(							莫量			24 44 시스	性記事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L34-4	−0.15m	0					0							
2	WL GL-3.00m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.00m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	7刊正万法…∪無実/1やつと悠知			試料の							莫量			24 44 시스	性司事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L34-5	−0.15m	0					0							
2	WL GL-2.85m	−0.5m		0				0							
3	TPH GL-3.59m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.85m	0					0							
12		TPH GL-3.59m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	デルビガム 0無夫/16 りと感				試料の						油脂				2년 4년 4년	امر المراجع المراجع المراجع
	試料名	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L34-6	−0.15m	0						0							
2	WL GL-2.15m	−0.5m	0						0							
3	TPH GL-3.20m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.15m	0						0							
12		TPH GL-3.20m			0						0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

,,,,	の判定方法…0無臭/1やっと感: 		-			の油臭		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1-000	, 13240 11		<b>莫量</b>	000		油性状	特記事項
	高 <b>八不</b> 半元	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記 <del>事</del> 項
1	L35-1	−0.15m	0						0							
2	WL GL-1.65m	−0.5m	0						0							
3	TPH GL-6.10m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		-4.0m		0					0							
7		−5.0m		0					0							
8		−6.0m		0					0							
9																
10																
11		WL GL-1.65m	0						0							
12		TPH GL-6.10m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	武料	<del>5</del>		Ē	<b>式料</b> 0	り油臭					油服	莫量			油性状	性司声语
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	L35-4	−0.15m	0						0							
2	WL GL-3.25m	−0.5m	0						0							
3	TPH GL-8.10m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m		0					0							
7		−5.0m		0					0							
8																
9																
10																
11		WL GL-3.25m	0						0							
12		TPH GL-8.10m			0				0							
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del></del>		Ī	式料の	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不补?	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	L35-5	−0.15m	0						0							
2	WL GL-3.90m	−0.5m				0				0						
3	TPH GL-3.00m	-1.0m			0					0						
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7																
8																
9																
10																
11		WL GL-3.90m	0						0							
2		TPH GL-3.00m				0				0						
13																
4																
5																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名				試料(	の油臭					油服	莫量			油性状	特記事項
	<b></b>		0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	L35-9	−0.15m	0						0							
2	WL GL-5.05m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-5.05m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊正万法…0無実/1~つと悠太				の油臭						莫量			油性状	特記事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	L36-1	−0.15m	0					0							
2	WL GL-1.66m	−0.5m		0							0				
3		-1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-1.66m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料:	<del>&gt;</del>		試料	の油臭					油服	莫量			SHJMH 기부	杜司市石
	<b>言</b>	Ď	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L36-2	−0.15m	0					0							
2	WL GL-2.14m	−0.5m	0					0							
3	TPH GL-5.40m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
0															
1		WL GL-2.14m	0					0							
2		TPH GL-5.40m		0				0							
3															
4															
5															
16															
17															
8															
9															
20															
21															
22															
23															
24															
5															
26															
27															
28															
9															
10															

	試料:	<b>5</b>		Ē	式料0	つ油臭					油服	莫量			油性状	性和审话
	<b>言</b>	Ā	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L36-3	−0.15m			0				0							
2	WL GL-1.89m	−0.5m			0					0						
3	TPH GL-3.20m	−1.0m		0					0							
4		−2.0m			0				0							
5		−3.0m			0				0							
6																
7																
8																
9																
0																
11		WL GL-1.89m	0						0							
2		TPH GL-3.20m				0				0						
3																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25																
26																
27																
28						-					-					
29																
30																

	試料名	<del>7</del>		試料	の油臭	<u>l</u>				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 項
1	L36-9	−0.15m	0					0							
2	WL GL-4.00m	−0.5m	0					0							
3	TPH GL-6.10m	-1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m			0					0					
6		−4.0m			0				0						
7															
8															
9															
10															
11		WL GL-4.00m	0					0							
12		TPH GL-6.10m			0						0				
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

, L, C,	の判定方法…0無臭/1やっと感 			UN 177	試料の			.,,,	1-000	, , , , , , , ,		莫量			油性状	特記事項
	高 <b>八</b> 不升 1		0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行配 <del>事</del> 項
1	L37-4	−0.15m			0					0						
2	WL GL-2.32m	−0.5m	0						0							
3	TPH GL-5.82m	-1.0m		0					0							
4		−2.0m	0						0							
5		−3.0m			0				0							
6		-4.0m			0				0							
7																
8																
9																
10																
11		WL GL-2.32m	0						0							
12		TPH GL-5.82m				0							0			
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	試料名	7			試料(	の油臭					油胆	莫量			油性状	特記事項
	記入木斗名	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記争垻 
1	L37-9	−0.15m	0						0							
2	WL GL-1.20m	−0.5m	0							0						
3		-1.0m	0							0						
4		−2.0m	0							0						
5		−3.0m		0					0							
6																
7																
8																
9																
10																
11		WL GL-1.20m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	の判定方法…0無臭/1やっと感然 					の油臭		.,,,	1-000	, 13240 11		膜量	00 0		油性状	特記事項
	高八不斗 在 	5	0	1	2	3	4	5	無	極微	微	少	中	多	田性状	行記事 <b>垻</b>
1	L38-1	−0.15m	0						0							
2	WL GL-1.05m	−0.5m			0				0							
3	TPH GL-3.85m	-1.0m				0						0				
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8	I															
9																
10	<u> </u>															
11	1	WL GL-1.05m	0						0							
12	<u> </u>	TPH GL-3.85m					0					0				
13	1															
14	<u> </u>															
15	<u> </u>															
16	1															
17	<u> </u>															
18	<u> </u>															
19																
20	<u> </u>															
21																
22																
23	<u> </u>															
24	<u> </u>															
25	<u> </u>															
26	<u> </u>															
27	<u></u>															
28																
29	<u></u>															
30	 I															

	試料4	7		尪	料の	油臭					油服	莫量			SH NH 기구	性司事項
	<b>記入木</b> 斗 イ	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L38-3	−0.15m	0						0							
2	WL GL-3.10m	−0.5m	0						0							
3	TPH GL-3.80m	-1.0m		0						0						
4		-2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-3.10m	0						0							
12		TPH GL-3.80m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	=+ w1 /	<del>5</del>			試料(	の油臭					油胆	莫量			3th h/t h/t	tt =□ 亩 τδ
	試料名	Ď.	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L38-6	−0.15m	0						0							
2	WL GL-3.40m	−0.5m	0						0							
3	TPH GL-4.20m	-1.0m				0					0					
4		−2.0m		0						0						
5		−3.0m		0						0						
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-3.40m		0						0						
12		TPH GL-4.20m				0					0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	対象の				試料(						油脂				油性状	特記事項
	<b>高</b> 八不斗 在	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項 
1	L39-1	−0.15m			0					0						
2	WL GL-2.05m	−0.5m	0						0							
3	TPH GL-8.10m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6																
7																
8																
9																
10									_							
11		WL GL-2.05m	0						0							
12		TPH GL-8.10m				0				0						
13																
14																
15																
16 17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30	_															

	試料名	7		試	料の油	臭					油服	莫量			油性状	性司事语
	<b>言</b> 以不补允	5	0	1 2	! ;	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	L40-7	−0.15m	0						0							
2	WL GL-4.90m	−0.5m	0						0							
3	TPH GL-4.10m	-1.0m		0					0							
4		−2.0m	0							0						
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-4.90m	0							0						
12		TPH GL-4.10m			)					0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試料	の油臭	<u>l</u>				油服	莫量			SH NH 기구	性司声语
	<b>記入木</b> 斗 イ	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	L40-8	−0.15m	0					0							
2	WL GL-4.70m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-4.70m		0				0							
2															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	計画の				の油臭						莫量			油性状	特記事項
	武科在	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行配争填
1	L41-3	−0.15m		0				0							
2	WL GL-2.30m	−0.5m		0				0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m		0					0						
7															
8															
9															
10															
11		WL GL-2.30m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	D判定方法…0無臭/1やっと感然 試料名		1			の油臭		.,,,	1-000	, , , , , , , , , , , , , , , , , , , ,		<b>莫量</b>	000		油性状	特記事項
	<b>高</b> 以不子 1	3	0	1	2	3	4	5	無	極微	微	少	中	多	油注从	付配争块
1	L41-9	−0.15m	0						0							
2	WL GL-3.20m	−0.5m	0						0							
3		-1.0m		0					0							
4		-2.0m	0						0							
5		-3.0m	0						0							
6		-4.0m	0						0							
7		-5.0m	0						0							
8																
9																
10																
11		WL GL-3.20m			0				0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	5		試料	の油臭	ļ				油服	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	M29-3	−0.15m	0					0							
2	WL GL-2.40m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
0															
1		WL GL-2.40m	0					0							
12															
3															
4															
15															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
8															
29															
30															

	試料名	7		試料	の油臭					油服	莫量			油性状	性司声语
	記入木斗名	i	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M29-5	−0.15m	0					0							
2	WL GL-1.65m	−0.5m	0					0							
3	TPH GL-4.75m	-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
0															
11		WL GL-1.65m	0					0							
2		TPH GL-4.75m		0						0					
3															
4															
15															
16															
17															
8															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	試料名	7		試料	の油臭					油服	莫量			24 44 41	性司声语
	<b>言</b> 式木斗名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M29-9	−0.15m	0					0							
2	WL GL-1.95m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-1.95m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	<del>5</del>		試料	の油臭	:				油服	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	<b>f</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	M30-3	−0.15m	0					0							
2	WL GL-2.00m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.00m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	,			試料(	の油臭					油服	莫量			油性状	特記事項
	<b>高</b> 式不针 名	1	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事垻
1	M31-2	−0.15m	0						0							
2	WL GL-2.10m	-0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-2.10m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

		7		試料	の油臭	ļ				油服	莫量			24 44 41	性司声语
	<b>言</b> 式木斗 名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M33-9	−0.15m	0						0						
2	WL GL-2.75m	−0.5m	0						0						
3	TPH GL-6.55m	-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.75m	0					0							
12		TPH GL-6.55m		0				0							
13															
14															
15															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	試料	<i>b</i>		尪	料の流	油臭					油服	莫量			SH NH 기구	性司事语
	<b>言</b>	Ā	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M34-4	−0.15m	0						0							
2	WL GL-1.50m	−0.5m	0						0							
3	TPH GL-3.80m	-1.0m		0					0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7																
8																
9																
0																
11		WL GL-1.50m	0						0							
12		TPH GL-3.80m		0					0							
3																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		記	ξ料σ.	D油臭					油服	莫量			24 NH 기구	性司声语
	<b>言</b>	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M34-6	−0.15m	0						0							
2	WL GL-0.78m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m		0						0						
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-0.78m	0						0							
12																
3																
4																
15																
16																
17																
8																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<i>5</i>			試料(	の油臭					油膜	量			油性状	特記事項
	高 <b>八</b> 不升?	白	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事 <b>垻</b>
1	M34-7	−0.15m	0						0							
2	WL GL-1.00m	−0.5m	0						0							
3		-1.0m	0						0							
4		-2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
3																
9																
0																
1		WL GL-1.00m	0						0							
2																
3																
4																
5																
6																
7																
8																
9																
0																
1																
22																
23																
24																
5																
:6																
:7																
8																
9																
80																

	試料名	,		試料	柳の油	Į				油服	莫量			油性状	性包束石
	<b>試料</b> 名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
ı	M34-8	−0.15m	0					0							
2	WL GL-0.70m	−0.5m	0					0							
3	TPH GL-5.30m	-1.0m	0					0							
4		-2.0m		0				0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-0.70m	0					0							
12		TPH GL-5.30m		С				0							
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7			試料の	の油臭	:				油脂	莫量			油性状	杜司市石
	<b>言</b> 以不斗イ	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	M35-1	−0.15m	0						0							
2	WL GL-1.15m	−0.5m	0						0							
3	TPH GL-7.15m	-1.0m		0					0							
4		−2.0m			0				0							
5		−3.0m		0					0							
6		−4.0m		0					0							
7		−5.0m		0					0							
8		−6.0m		0					0							
9																
10																
11		WL GL-1.15m	0						0							
12		TPH GL-7.15m				0				0						
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7			試料(	の油臭					油朜	量			油性状	特記事項
	<b>言</b> 五 不 子	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
ı	M35-4	−0.15m	0						0							
2	WL GL-1.30m	−0.5m		0					0							
3	TPH GL-6.55m	−1.0m			0				0							
4		−2.0m			0				0							
5		−3.0m			0					0						
6		−4.0m		0					0							
7		−5.0m			0				0							
3																
9																
0																
1		WL GL-1.30m	0						0							
2		TPH GL-6.55m			0					0						
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
:3																
4																
5																
6																
:7																
8																
9																
0																

	試料	<del>5</del>			試料の	の油臭	:				油膜	量			油性状	特記事項
	高 <b>八</b> 不 子	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	M36-2	−0.15m	0						0							
2	WL GL-2.91m	−0.5m	0						0							
3	TPH GL-5.70m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m				0			0							
6		−4.0m			0				0							
7																
3																
9																
0																
1		WL GL-2.91m	0						0							
2		TPH GL-5.70m				0			0							
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
:3																
4																
5																
6																
7																
8																
9																
0																

	=+ ₩1 /	<i>b</i>			試料の	の油臭					油服	莫量			SHJMH 기부	性司事话
	試料	<b>在</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M36-5	−0.15m	0						0							
2	WL GL-2.65m	−0.5m	0						0							
3		-1.0m		0					0							
4		−2.0m		0					0							
5		−3.0m			0				0							
6		-4.0m				0			0							
7																
8																
9																
0																
11		WL GL-2.65m	0						0							
2																
3																
4																
5																
16																
7																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27					-											
28																
9																
30																

	試料4	<del>5</del>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	M37-2	−0.15m	0						0							
2	WL GL-4.70m	−0.5m	0						0							
3	TPH GL-4.82m	-1.0m	0							0						
4		−2.0m		0						0						
5		−3.0m		0						0						
6		−4.0m	0							0						
7																
8																
9																
10																
11		WL GL-4.70m		0						0						
12		TPH GL-4.82m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

ш <u>д</u> ,	の判定方法…0無臭/1やっと感外     試料名		30 (3)	Ψ <i>η</i> η <i>η</i> , <i>η</i>		の油臭		CALCE!	12000	7 1320 14		英量			油性状	特記事項
	高 工不升 在	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	M37-6	−0.15m	0						0							
2	WL GL-2.15m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6																
7																
8																
9																
10																
11		WL GL-2.15m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	5		試料	の油臭	ļ				油服	莫量			油性状	特記事項
	高 <b>工</b> 不平 1	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	M38-1	−0.15m	0					0							
2	WL GL-3.46m	−0.5m	0							0					
3		-1.0m	0							0					
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-3.46m	0					0							
12															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊定方法…0無実/1やうと感:					の油臭						莫量			油性状	特記事項
	<b>言</b> 以不斗 名	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記争垻
1	M38-5	−0.15m	0						0							
2	WL GL-2.02m	−0.5m	0						0							
3	TPH GL-4.80m	-1.0m	0						0							
4		−2.0m	0							0						
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-2.02m	0						0							
12		TPH GL-4.80m		0							0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	<del></del>		試	料の	油臭					油服	莫量			油性状	特記事項
	<b>言</b> 以不补允	Á	0	1 :	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻 
1	M38-6	−0.15m	0						0							
2	WL GL-1.75m	−0.5m	0						0							
3	TPH GL-4.70m	-1.0m	0							0						
4		−2.0m	0									0				
5																
6																
7																
8																
9																
0																
11		WL GL-1.75m	0						0							
2		TPH GL-4.70m		0							0					
3																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	対策を対象・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・				試料の						油脂				油性状	特記事項
	<b>言</b> 以不补允	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項 
1	M39-1	−0.15m	0						0							
2	WL GL-1.68m	−0.5m		0						0						
3	TPH GL-4.60m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-1.68m	0						0							
12		TPH GL-4.60m			0						0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	D判定方法…0無臭/1やっと感然 試料名		1			の油臭		CALC C	12000	7 1320 14		英量	12000		油性状	特記事項
	<b>言</b> 以不补允	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事項
1	M39-3	−0.15m	0						0							
2	WL GL-0.90m	−0.5m	0						0							
3	TPH GL-4.40m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-0.90m	0						0							
12		TPH GL-4.40m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	デルス 0無夫/1672版			試料の							莫量			2년 4년 기급	#±=٦:कं रक
	試料名	i	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M39-4	−0.15m	0					0							
2	WL GL-1.10m	-0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-1.10m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24	·														
25															
26	·														
27															
28															
29															
30															

	試料名	7			試料(	の油臭					油胆	莫量			油性状	特記事項
	<b>言</b> 以不斗 化	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事 <b>垻</b>
1	M39-9	−0.15m	0						0							
2	WL GL-3.10m	−0.5m		0					0							
3	TPH GL-3.60m	−1.0m	0						0							
4		−2.0m	0						0							
5																
6																
7																
8																
9																
10																
11		WL GL-3.10m	0						0							
12		TPH GL-3.60m			0					0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	,		試料(	の油臭	:				油服	莫量			油性状	特記事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記争垻
1	M40-1	−0.15m	0					0							
2	WL GL-2.23m	−0.5m	0					0							
3		−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-2.23m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	,		試料	の油臭	ļ				油服	莫量			油性状	性到市伍
	<b>試料名</b>		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M40-2	−0.15m	0						0						
2	WL GL-2.30m	−0.5m	0						0						
3	TPH GL-7.65m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0						0						
8		−6.0m	0					0							
9															
10															
11		WL GL-2.30m	0					0							
12		TPH GL-7.65m		0					0						
13															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7			試料(	の油臭					油服	莫量			油性状	tt =□ 亩 τδ
	高 <b>八</b> 不升 名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	M40-4	−0.15m	0						0							
2	WL GL-3.30m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7																
8																
9																
10																
11		WL GL-3.30m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	可足力					の油臭						莫量			2년 학사 기구	then as as
	試料名	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M40-5	−0.15m	0						0							
2	WL GL-4.40m	−0.5m	0						0							
3	TPH GL-6.35m	-1.0m	0						0							
4		-2.0m		0					0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-4.40m	0						0							
12		TPH GL-6.35m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

ш <u>д</u> ,	の判定方法…0無臭/1やっと感気     試料名		30 (3)			の油臭		CALCE!	12000	7 1320 14		英量	12000		油性状	特記事項
	高八不升 <i>在</i>	1	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記 <del>事</del> 垻
1	M40-6	−0.15m	0						0							
2	WL GL-3.15m	−0.5m	0						0							
3		-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-3.15m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del></del>		試料	の油臭					油服	莫量			3th l/th 1/th	杜司市石
	<b>訂本</b> 十名	Å	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	M41-3	−0.15m	0					0							
2	WL GL-1.80m	−0.5m	0					0							
3	TPH GL-4.80m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
10															
11		WL GL-1.80m	0					0							
12		TPH GL-4.80m		0					0						
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28										-					
29															
30										-					

	試料名	•			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>試不</b> 十七	1	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記 <del>事</del> 垻
1	M41-6	−0.15m	0						0							
2	WL GL-1.70m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-1.70m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		試料	の油臭	<u>l</u>				油脂	莫量			油性状	性司声语
	<b>言</b> 以不斗 化	<b>i</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	M42-1	−0.15m	0					0							
2	WL GL-1.80m	−0.5m	0								0				
3	TPH GL-4.00m	−1.0m	0								0				
4		−2.0m	0								0				
5		−3.0m	0						0						
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
0															
11		WL GL-1.80m	0					0							
2		TPH GL-4.00m		0							0				
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	7刊正万法…∪無実/1やつと悠知			試料の							莫量			24 44 시스	性記事項
	試料名	l	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N27-4	−0.15m	0							0					
2	WL GL-7.60m	−0.5m	0						0						
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0						0						
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-7.60m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	<del>5</del>		試料	の油臭	ļ				油服	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	N27-8	−0.15m	0					0							
2	WL GL-5.90m	−0.5m	0					0							
3		-1.0m	0						0						
4		−2.0m	0					0							
5		−3.0m	0					0							
6															
7															
8															
9															
10															
11		WL GL-5.90m	0						0						
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27										-					
28															
29															
30															

	試料名	7			試料(	の油臭	:				油朜	量			油性状	特記事項
	記本十名	i	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記争垻 
1	N29-3	−0.15m	0						0							
2	WL GL-3.70m	−0.5m	0						0							
3	TPH GL-5.35m	-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m	0							0						
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9		-7.0m	0						0							
0																
1		WL GL-3.70m	0						0							
2		TPH GL-5.35m	0							0						
3																
4																
5																
6																
7																
8																
9																
20																
1																
2																
23																
24																
25																
6																
27																
8																
9																
0																

	試料名				試料(	の油臭					油服	莫量			油性状	性包毒石
	<b></b>		0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	N29-8	−0.15m	0						0							
2	WL GL-4.40m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-4.40m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28	<u> </u>															
29																
30																

	試料名				試料(	の油臭					油服	莫量			油性状	特記事項
	<b>試不</b> 十七	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	N30-5	−0.15m	0						0							
2	WL GL-2.40m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-2.40m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試料	の油臭					油服	莫量			油性状	性司声语
	記本十名	i	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N31-9	−0.15m	0					0							
2	WL GL-2.55m	−0.5m	0					0							
3	TPH GL-4.00m	-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.55m	0					0							
12		TPH GL-4.00m		0					0						
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

		5		試料	の油臭					油胆	莫量			SH 바다 지수	性司声语
	<b>言</b> 以不斗イ	<b>f</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N32-5	−0.15m	0					0							
2	WL GL-2.90m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-2.90m	0					0							
2															
13															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	5		試料	の油臭	:				油服	莫量			SH 바다 지수	性司声语
	<b>記入本外</b> 名	Ď	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N32-6	−0.15m	0					0							
2	WL GL-2.20m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
1		WL GL-2.20m	0					0							
2															
3															
4															
5															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	試料	<i>b</i>			試料(	の油臭					油胆	莫量			油性状	特記事項
	<b>言</b> 以不升~	白	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事垻
1	N32-7	−0.15m	0						0							
2	WL GL-2.30m	−0.5m	0						0							
3	TPH GL-7.40m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0							0						
6		−4.0m	0						0							
7		−5.0m	0							0						
8		−6.0m	0							0						
9		−7.0m	0						0							
10																
11		WL GL-2.30m		0						0						
12		TPH GL-7.40m	0							0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30									1							1

		7		試料	の油臭					油服	莫量			Sets 하는 지수	性到市伍
	<b>言</b> 式木斗名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N34-1	−0.15m	0					0							
2	WL GL-2.30m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0						0						
5		-3.0m	0						0						
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
1		WL GL-2.30m	0					0							
2															
3															
4															
5															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	対定方法・・・0無実/1やつと感					の油臭						莫量			油性状	特記事項
	<b>言</b> 以不补 在	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	N34-7	−0.15m	0						0							
2	WL GL-2.30m	−0.5m		0					0							
3	TPH GL-5.20m	-1.0m	0						0							
4		−2.0m	0							0						
5		-3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m		0					0							
8																
9																
10																
11		WL GL-2.30m	0						0							
12		TPH GL-5.20m	0							0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del></del>		試	料の油	臭						莫量			油性状	特記事項
	高 <b>八</b> 不升 ?	<b>5</b>	0	1 2	: 3	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	N36-4	−0.15m	0						0							
2	WL GL-1.61m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m		0					0							
7		−5.0m		0					0							
8																
9																
10																
11		WL GL-1.61m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																
			1	1 1	1	- 1				1				1	I	1

	試料4	7			試料(	の油臭	:				油服	莫量			油性状	性包束石
	<b>言</b> 以不斗イ	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	N36-5	−0.15m	0						0							
2	WL GL-2.70m	−0.5m	0						0							
3	TPH GL-5.61m	-1.0m		0					0							
4		−2.0m		0					0							
5		-3.0m			0					0						
6		−4.0m		0					0							
7																
8																
9																
0																
11		WL GL-2.70m	0						0							
2		TPH GL-5.61m			0					0						
3																
4																
5																
16																
7																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del>7</del>		試	料の油	臭					油服	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	<b>5</b>	0	1 2	!	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	N36-6	−0.15m	0						0							
2	WL GL-1.32m	−0.5m	0						0							
3	TPH GL-4.50m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6																
7																
8																
9																
0																
1		WL GL-1.32m	0						0							
2		TPH GL-4.50m		C	)				0							
3																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25																
26																
27																
28																
9																
30									l							

	試料名	7			試料(	の油臭	:				油膜	量			油性状	特記事項
	<b>訂入不計</b> 在	1	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記争垻 
1	N37-1	−0.15m	0						0							
2	WL GL-0.70m	−0.5m	0							0						
3	TPH GL-3.35m	-1.0m														コンクリート障害
4		-2.0m		0					0							
5		-3.0m		0					0							
3		-4.0m		0					0							
7																
3																
9																
0																
1		WL GL-0.70m	0						0							
2		TPH GL-3.35m		0						0						
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
3																
4																
5																
6																
7																
3																
9																
80																

	=+ wı A	<del>5</del>		試料	の油臭					油服	莫量			SH NH NH	性和审话
	試料名	Ď	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N37-3	−0.15m	0					0							
2	WL GL-2.37m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6															
7															
8															
9															
10															
11		WL GL-2.37m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	=+ \M-1.	<del>5</del>			式料(	の油臭					油服	莫量			SH 바다 지수	性司声语
	試料	Å	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N37-4	−0.15m	0						0							
2	WL GL-1.50m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m		0					0							
6																
7																
8																
9																
0																
1		WL GL-1.50m	0						0							
2																
3																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25																
26																
27																
28																
9																
30																

	試料名	7		試料	の油臭	ļ				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	N37-6	−0.15m	0					0							
2	WL GL-1.61m	−0.5m	0					0							
3		-1.0m	0						0						
4		−2.0m	0					0							
5		−3.0m	0						0						
6															
7															
8															
9															
10															
11		WL GL-1.61m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30										-					

		7		試料	の油臭	:				油服	莫量			SH 바다 지수	性包束语
	<b>言</b>	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N37-8	−0.15m	0					0							
2	WL GL-2.49m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.49m	0						0						
12															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<b>≠</b>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	高 <b>八</b> 不升?	白	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事項
1	N37-9	−0.15m	0						0							
2	WL GL-1.52m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
0																
1		WL GL-1.52m	0						0							
2																
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
23																
24																
:5																
:6																
.7																
8																
9																
0																

	刊足力法・・・・0無臭/1やつと悠知			試料(							莫量			2년 4년 기간	#± ₹¬ कं т⊼
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N38-2	−0.15m	0					0							
2	WL GL-2.30m	−0.5m	0					0							
3	TPH GL-4.00m	-1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-2.30m	0					0							
12		TPH GL-4.00m		0						0					
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24	_													_	
25															
26	_													_	
27										-					
28															
29															
30															

	試料名	,			試料(	の油臭					油服	莫量			油性状	特記事項
	<b>訂不</b> 計在	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事項
1	N38-7	−0.15m	0						0							
2	WL GL-1.60m	-0.5m	0						0							
3		-1.0m			0				0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-1.60m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		Ē	式料0	り油臭					油服	莫量			油性状	特記事項
	高 <b>八</b> 不升 名	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	N39-4	−0.15m	0						0							
2	WL GL-0.89m	−0.5m		0							0					
3		-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-0.89m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del></del>			試料(	の油臭					油胆	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	田1生1人	行記事項
1	N39-5	−0.15m	0						0							
2	WL GL-2.88m	−0.5m	0						0							
3	TPH GL-5.50m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6																
7																
8																
9																
10																
11		WL GL-2.88m	0						0							
12		TPH GL-5.50m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	,		試料	の油臭	<u>l</u>				油服	莫量			油性状	特記事項
	<b>高</b> 式乔子 <b>仁</b>	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注1人	付記事項
1	N39-7	−0.15m	0					0							
2	WL GL-0.74m	−0.5m		0				0							
3	TPH GL-2.80m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-0.74m	0					0							
12		TPH GL-2.80m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del>5</del>		試	料の汎	臭					油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	<b>f</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	N39-8	−0.15m	0						0							
2	WL GL-2.07m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m		0						0						
5		−3.0m	0						0							
6																
7																
8																
9																
10																
11		WL GL-2.07m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

		7		試料	の油臭					油服	莫量			SH 바다 지수	性司声语
	<b>言</b>	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N40-1	−0.15m	0					0							
2	WL GL-3.80m	−0.5m	0					0							
3	TPH GL-8.00m	-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0						0						
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.80m	0					0							
12		TPH GL-8.00m	0						0						
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	<del>&gt;</del>		試料	の油臭	<u> </u>				油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	N40-4	−0.15m	0					0							
2	WL GL-1.20m	−0.5m	0					0							
3	TPH GL-4.20m	-1.0m		0					0						
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-1.20m	0					0							
12		TPH GL-4.20m			0					0					
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

		7		試料	の油臭					油服	莫量			24 44 41	性司声语
	<b>言</b>	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N40-8	−0.15m	0					0							
2	WL GL-1.20m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-1.20m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	≘+ 业小 次	,			試料(	の油臭	:				油膜	量			SHJMH 기부	tt = π T T T T T T T T T T T T T T T T T T
	試料名		0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	N41-1	−0.15m	0						0							
2	WL GL-1.60m	−0.5m		0						0						
3	TPH GL-3.85m	-1.0m		0						0						
4		-2.0m	0						0							
5		-3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
0																
11		WL GL-1.60m	0						0							
2		TPH GL-3.85m			0					0						
3																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25																
6																
.7																
8																
9																
10																

	試料4	7		試	料の消	由臭					油服	莫量			油性状	特記事項
	<b>古</b> 以不子 イ	<b>-</b>	0	1 :	2	3	4	5	無	極微	微	少	中	多	油注1人	付配事項
1	N41-2	−0.15m	0						0							
2	WL GL-2.55m	−0.5m	0						0							
3	TPH GL-4.80m	−1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-2.55m	0						0							
2		TPH GL-4.80m		(	)					0						
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試	料の	油臭					油服	莫量			油性状	杜司市西
	言以不斗イ	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	N41-9	−0.15m	0						0							
2	WL GL-2.25m	−0.5m	0						0							
3	TPH GL-3.75m	-1.0m	0						0							
4		−2.0m		0						0						
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-2.25m	0						0							
12		TPH GL-3.75m		(	0					0						
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

		7		試彩	の油臭	<u> </u>				油服	莫量			SH 바다 지수	性司声语
	<b>言</b> 式木斗名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O26-2	−0.15m	0					0							
2	WL GL-6.00m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0						0						
7		−5.0m	0					0							
8		-6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-6.00m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

ш <u>д</u> ,	カ判定方法…0無臭/1やっと感然		30 (3)			の油臭		CALCE!	12000	7 1320 14		英量			油性状	特記事項
	<b>訂入不补</b> 在	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行 <b>记</b> 争块
1	O27-1	−0.15m	0						0							
2	WL GL-6.50m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-6.50m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	7刊正万法…0無実/1やつと悠知			試料の							莫量			ንተነሳት ሳት	性記事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O27-4	−0.15m	0					0							
2	WL GL-6.20m	−0.5m	0					0							
3		−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-6.20m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊走力法・・・・0無臭/1やつと悠知			試料の							莫量			ንተነሳት ሳት	性記事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O28-4	−0.15m	0					0							
2	WL GL-3.70m	−0.5m	0					0							
3		−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-3.70m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26	_													_	
27															
28															
29															
30															

ш <u>д</u> ,	の判定方法…0無臭/1やっと感気 		30 (3)			の油臭		CALC C	12000	7 1320 14		英量	12000		油性状	特記事項
	武 <b>千</b> 十七	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	O30-4	−0.15m	0						0							
2	WL GL-2.50m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-2.50m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	試料名	<del>5</del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>古</b> 工不平 1		0	1	2	3	4	5	無	極微	微	少	中	多	油注从	付配争块
1	O31-6	−0.15m	0						0							
2	WL GL-2.65m	−0.5m	0						0							
3	TPH GL-7.75m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0							0						
8		−6.0m	0						0							
9																
10																
11		WL GL-2.65m	0						0							
12		TPH GL-7.75m	0							0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	,		試料	の油臭	<u> </u>				油服	莫量			油性状	杜司市石
	<b>高</b> 式不针 在	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	O31-9	−0.15m	0					0							
2	WL GL-4.00m	−0.5m	0						0						
3	TPH GL-2.05m	-1.0m	0					0							
4		−2.0m	0						0						
5		−3.0m	0						0						
6		-4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-4.00m	0					0							
12		TPH GL-2.05m		0							0				
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	リ刊足万法・・・・0無臭/1やつと悠:				試料の						油脂				24.44.45	性包束语
	試料名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O32-3	−0.15m	0						0							
2	WL GL-2.65m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9		−7.0m	0						0							
10																
11		WL GL-2.65m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24 25																
26																
27					-	-										
28					-	-										
29																
30																

	試料	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	<b>油注</b> 狄	行記 <del>事</del> 垻
1	O33-1	−0.15m	0						0							
2	WL GL-1.80m	−0.5m	0						0							
3	TPH GL-4.00m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.80m	0						0							
12		TPH GL-4.00m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		試米	柳の油具	Į				油服	莫量			油性状	性司事语
	<b>言</b> 以不斗 化	<b>i</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	O33-3	−0.15m	0					0							
2	WL GL-1.90m	−0.5m	0					0							
3	TPH GL-4.50m	−1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
0															
11		WL GL-1.90m	0					0							
12		TPH GL-4.50m		0				0							
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del></del>		試料	の油臭	ļ				油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	O33-5	−0.15m	0					0							
2	WL GL-2.45m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6															
7															
8															
9															
0															
11		WL GL-2.45m	0					0							
2															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29								İ							
30															

		7		試料	の油臭					油服	莫量			油性状	特記事項
	<b>言</b> 以不斗 化	<b>i</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻 
1	O33-6	−0.15m	0					0							
2	WL GL-3.60m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		-5.0m	0					0							
8															
9															
10															
11		WL GL-3.60m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del>&gt;</del>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>言</b>	Å	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O33-7	−0.15m	0						0							
2	WL GL-2.90m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
В		−6.0m	0						0							
9		−7.0m	0						0							
0																
1		WL GL-2.90m	0						0							
2																
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
23																
4																
5																
:6																
.7																
8																
9																
0																

	試料名			試料(	の油臭					油服	莫量			油性状	特記事項
	<b></b>		0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	O34-1	−0.15m	0					0							
2	WL GL-1.90m	−0.5m	0					0							
3	TPH GL-4.50m	−1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-1.90m	0					0							
12		TPH GL-4.50m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	7		試米	神の油身	Į				油服	莫量			油性状	性司声语
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	O34-7	−0.15m	0					0							
2	WL GL-2.50m	−0.5m	0					0							
3	TPH GL-5.40m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m		0				0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-2.50m	0					0							
12		TPH GL-5.40m		С				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	<del>=</del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 五 不 子	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記事項
1	O34-8	−0.15m	0						0							
2	WL GL-2.45m	−0.5m	0						0							
3	TPH GL-5.00m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.45m	0						0							
12		TPH GL-5.00m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		試	料の油	臭					油服	莫量			油性状	杜司市石
	<b>言</b> 以不斗 化	<b>i</b>	0	1 2	! ;	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
П	O34-9	−0.15m	0						0							
2	WL GL-1.80m	−0.5m	0						0							
3	TPH GL-4.20m	-1.0m	0						0							
4		−2.0m		0						0						
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-1.80m	0						0							
12		TPH GL-4.20m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30						Ī										

	試料4	7		討	料の	油臭					油服	莫量			油性状	性包束语
	<b>言</b> 式木斗名	á	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O36-2	−0.15m	0							0						
2	WL GL-2.59m	−0.5m		0							0					
3	TPH GL-3.40m	−1.0m	0						0							
4		−2.0m	0							0						
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
0																
11		WL GL-2.59m	0							0						
2		TPH GL-3.40m			0							0				
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名			試料の							莫量			油性状	特記事項
	<b></b>		0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	O36-5	−0.15m	0					0							
2	WL GL-1.94m	−0.5m	0					0							
3	TPH GL-3.40m	−1.0m	0						0						
4		−2.0m			0					0					
5		−3.0m		0					0						
6		−4.0m	0						0						
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-1.94m	0					0							
12		TPH GL-3.40m			0						0				
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7		試料	の油臭	<u>l</u>				油服	莫量			SH NH 기구	性司声语
	記入木斗名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O36-8	−0.15m	0					0							
2	WL GL-1.50m	−0.5m	0					0							
3	TPH GL-5.70m	-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
0															
11		WL GL-1.50m	0					0							
12		TPH GL-5.70m		0				0							
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊足万法…0無実/1つつと思え			試料(							莫量			24 44 시스	性記事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O37-1	−0.15m	0					0							
2	WL GL-0.70m	-0.5m	0					0							
3		-1.0m	0						0						
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
10															
11		WL GL-0.70m	0						0						
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30										-					

	利圧力法・・・0無実/1やつと燃丸			試料(							莫量			24 44 시스	性司事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O37-2	−0.15m	0					0							
2	WL GL-0.90m	−0.5m	0					0							
3	TPH GL-5.62m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m		0				0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-0.90m	0					0							
12		TPH GL-5.62m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊足力法・・・0無実/1~つと思え					の油臭						莫量			211 44 41	特記事項
	試料名	i	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記争 <b>垻</b>
1	O37-3	−0.15m	0						0							
2	WL GL-0.90m	-0.5m		0						0						
3	TPH GL-5.50m	-1.0m	0						0							
4		−2.0m		0							0					
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-0.90m	0						0							
12		TPH GL-5.50m		0							0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del>5</del>		試料	の油臭	<u>l</u>				油服	莫量			24 NH 기구	杜司声语
	<b>訂</b> 本十名	Ď	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	037-7	−0.15m	0					0							
2	WL GL-3.00m	−0.5m	0					0							
3	TPH GL-4.60m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.00m	0					0							
12		TPH GL-4.60m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30								l							

	試料名	7		試料	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	O37-9	−0.15m	0					0							
2	WL GL-2.60m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.60m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	=土火山 人	7		試料	の油臭					油服	莫量			24 44 41	性司声语
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O38-4	−0.15m	0					0							
2	WL GL-3.80m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.80m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7		試料	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	O38-7	−0.15m	0					0							
2	WL GL-3.00m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.00m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	デルカム 0 宗夫/16 りと恋が				の油臭					莫量			5 <u>4</u> 44 J 15	4+=7 <del>   </del>
	試料名		0	1 2	3	4	5	無	極微	少	中	多	油性状	特記事項
1	O38-8	−0.15m	0					0						
2	WL GL-2.75m	−0.5m	0					0						
3		-1.0m	0					0						
4		−2.0m		0				0						
5		−3.0m	0					0						
6		-4.0m	0					0						
7		−5.0m	0					0						
8		-6.0m	0					0						
9														
10														
11		WL GL-2.75m	0					0						
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														

	試料名	7		試料	の油臭					油服	莫量			24 44 41	性司声语
	高 <b>八</b> 不升 名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O39-6	−0.15m	0					0							
2	WL GL-6.90m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-6.90m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊正万法・・・0無実/1やつと悠知				の油臭						莫量			油性状	性司事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	O39-8	−0.15m	0					0							
2	WL GL-4.70m	−0.5m	0					0							
3		-1.0m			0				0						
4		−2.0m		0				0							
5		−3.0m	0					0							
6		−4.0m		0				0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-4.70m		0				0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	リ刊足万法・・・・0無実/1つつと感					の油臭					油胆				›	## FT THE THE
	試料名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O39-9	−0.15m	0						0							
2	WL GL-4.80m	−0.5m	0						0							
3	TPH GL-6.27m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m		0						0						
7		−5.0m	0						0							
8		−6.0m	0						0							
9		−7.0m	0						0							
10																
11		WL GL-4.80m	0						0							
12		TPH GL-6.27m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	7		Ē	式料の	の油臭	:				油	莫量			油性状	性司声语
	<b>言</b> 以不斗イ	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	O40-1	−0.15m	0						0							
2	WL GL-1.20m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m		0						0						
7		−5.0m	0						0							
8		−6.0m	0						0							
9		−7.0m	0						0							
10																
11		WL GL-1.20m	0						0							
2																
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
9																
30																

	7刊定方法・・・・0無実/1つつと悠知			試料(							莫量			5-H64H1-L5	ا <del>نا</del> الجارية بح
	試料名	ı	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O40-3	−0.15m	0					0							
2	WL GL-1.30m	−0.5m	0					0							
3		-1.0m	0						0						
4		−2.0m		0				0							
5		−3.0m	0					0							
6		-4.0m	0						0						
7		−5.0m		0				0							
8															
9															
10															
11		WL GL-1.30m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊足万法・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・					の油臭						莫量			油性状	特記事項
	高 <b>八</b> 不升 ?	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	O40-6	−0.15m	0						0							
2	WL GL-1.25m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0							0						
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.25m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試料	の油臭					油服	莫量			Sets Note 기보고	性到市伍
	記本十名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O40-8	−0.15m	0					0							
2	WL GL-0.96m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		-5.0m	0					0							
8		-6.0m	0					0							
9		-7.0m	0					0							
10															
11		WL GL-0.96m	0					0							
12															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

ш <u>д</u> ,	の判定方法…0無臭/1やっと感然 		30 (3)			の油臭		CALC C	12000	7 1320 14		英量	12000		油性状	特記事項
	<b>記入千十七</b>	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	O40-9	−0.15m	0						0							
2	WL GL-2.50m	−0.5m	0						0							
3		-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-2.50m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	試料:	<del>5</del>		Ī	試料の	の油臭	:				油服	莫量			SHJMH 기부	杜司市石
	<b>言</b>	Å	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O41-1	−0.15m	0						0							
2	WL GL-2.30m	−0.5m		0					0							
3	TPH GL-3.90m	−1.0m		0					0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6																
7																
8																
9																
10																
11		WL GL-2.30m	0						0							
2		TPH GL-3.90m			0				0							
13																
4																
5																
16																
17																
18																
9																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30			I													

	試料	<del>5</del>		試米	の油臭	1				油服	莫量			油性状	特記事項
	<b>言</b> 以不补?	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	O41-6	−0.15m	0					0							
2	WL GL-1.98m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
0															
1		WL GL-1.98m	0					0							
2															
3															
4															
5															
16															
7															
8															
9															
20															
21															
22															
23															
24															
25															
26															
27															
28										-					
9															
30															

	試料	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記 <del>事</del> 垻
1	O41-7	−0.15m	0						0							
2	WL GL-1.25m	−0.5m	0						0							
3	TPH GL-4.90m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-1.25m	0						0							
12		TPH GL-4.90m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30									I		-					

		7		試料	の油臭	<u> </u>				油胆	莫量			24. k4. J.L	性司声语
	<b>言</b>	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	O41-8	−0.15m	0					0							
2	WL GL-2.48m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m			0				0						
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-2.48m	0					0							
12															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del>=</del>		試米	柳の油	臭				油肌	莫量			油性状	杜司市石
	<b>言</b> 五 不 子	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	O41-9	−0.15m	0					0							
2	WL GL-1.75m	−0.5m	0					0							
3	TPH GL-3.90m	-1.0m		С							0				
4		−2.0m		С						0					
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-1.75m	0					0							
12		TPH GL-3.90m			0						0				
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	計画			試料の							莫量			油性状	特記事項
	<b>試料</b> 石	l	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	O42-8	−0.15m	0					0							
2	WL GL-2.08m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.08m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del>5</del>			試料の	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不补?	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P27-3	−0.15m	0						0							
2	WL GL-0.05m	−0.5m	0						0							
3		-1.0m		0					0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7																
8																
9																
0																
11		WL GL-0.05m	0						0							
2																
3																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30			1													

	=-+ ₩1 ✓	<b>5</b>			試料(	の油臭	:				油服	莫量			SHJMH 기부	杜司市石
	試料	Ā	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P28-1	−0.15m		0					0							
2	WL GL-3.05m	−0.5m	0						0							
3		-1.0m		0					0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7																
8																
9																
0																
11		WL GL-3.05m		0							0					
12																
3																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30			1													

	7刊足万法・・・・0無実/1つつと感:				試料の							莫量			\-h.h4+.1L\	#t =n 市 ·西
	試料名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P27-9	−0.15m	0						0							
2	WL GL-5.30m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m		0					0							
7		−5.0m		0						0						
8		−6.0m	0						0							
9																
10																
11		WL GL-5.30m		0							0					
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26						-	-							-		
27																
28																
29																
30																

	デルグム 0無夫/16 JC恋.				の油臭						莫量			2년 4년 기급	ا <del>د</del> ا تا تا
	試料名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P28-3	−0.15m	0					0							
2	WL GL-0.35m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
10															
11		WL GL-0.35m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	<b>油性</b> 从	行記事項
1	P28-4	−0.15m	0						0							
2	WL GL-2.50m	−0.5m	0						0							
3	TPH GL-3.90m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.50m			0				0							
12		TPH GL-3.90m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<b>5</b>		i	試料(	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不补?	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P28-6	−0.15m	0						0							
2	WL GL-2.30m	−0.5m		0					0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7																
8																
9																
10																
11		WL GL-2.30m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	7			試料(	の油臭					油膜	量			油性状	特記事項
	<b>高</b> 式不补入	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
ı	P28-7	−0.15m	0						0							
2	WL GL-3.00m	−0.5m	0						0							
3	TPH GL-1.70m	−1.0m			0				0							
4		−2.0m			0				0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m		0					0							
3		−6.0m		0					0							
9		−7.0m		0					0							
0																
1		WL GL-3.00m		0					0							
2		TPH GL-1.70m			0				0							
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
:3																
4																
5																
6																
7																
8																
9																
0																

	刊走方法・・・0無実/1つつと思え				の油臭						莫量			24 44 시스	性記事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P28-8	−0.15m		0				0							
2	WL GL-4.40m	−0.5m		0				0							
3		−1.0m		0				0							
4		−2.0m	0					0							
5		−3.0m		0				0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-4.40m		0				0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料:	<b>5</b>			試料(	の油臭					油膜	量			油性状	特記事項
	高 <b>八</b> 不升?	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	P28-9	−0.15m	0						0							
2	WL GL-2.38m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m			0					0						
5		−3.0m		0					0							
6		−4.0m	0							0						
7		−5.0m	0						0							
8		−6.0m	0						0							
9		−7.0m	0						0							
0																
1		WL GL-2.38m			0					0						
2																
3																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25																
6																
27																
8																
9												-				
30																

	試料	<b>≠</b>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>高</b> 式不升?	白	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	P29-1	−0.15m	0						0							
2	WL GL-2.70m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
1		WL GL-2.70m	0						0							
2																
13																
4																
5																
6																
7																
8																
9																
20																
1																
22																
23																
24																
25																
:6																
27																
8																
9																
0																

	試料	<del>5</del>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>言</b>	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P29-4	−0.15m	0						0							
2	WL GL-3.55m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
1		WL GL-3.55m	0						0							
2																
13																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25																
6																
27																
8																
9																
80																

	計能力法…0無臭/1952総数			試料の							莫量			油性状	特記事項
	<b></b>	l	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	P31-4	−0.15m	0					0							
2	WL GL-2.05m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.05m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	7		試	料の油	臭					油服	莫量			油性状	杜司市石
	<b>言</b> 以不斗イ	5	0	1 2	: 3	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	P31-9	−0.15m	0						0							
2	WL GL-3.40m	−0.5m	0						0							
3	TPH GL-4.45m	-1.0m	0						0							
4		−2.0m		0					0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-3.40m	0						0							
12		TPH GL-4.45m		0					0							
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	5		試料	の油臭					油服	莫量			SH 바다 지수	性到市伍
	<b>言</b> 以不平 1	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P33-6	−0.15m	0					0							
2	WL GL-2.70m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
1		WL GL-2.70m	0					0							
2															
3															
4															
5															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	試料名	,		試料	の油臭	:				油服	莫量			油性状	特記事項
	<b>試料</b> 名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P34-2	−0.15m	0					0							
2	WL GL-4.45m	−0.5m	0					0							
3	TPH GL-7.70m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m		0				0							
8		-6.0m	0					0							
9															
10															
11		WL GL-4.45m	0					0							
12		TPH GL-7.70m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24	·														
25															
26															
27															
28															
29															
30										-					

	試料4	<del>5</del>		試料	の油臭	ļ				油服	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	<b>f</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P34-3	−0.15m	0					0							
2	WL GL-1.50m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5															
6															
7															
8															
9															
10															
11		WL GL-1.50m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29								İ							
30															

	試料4	<del>5</del>		試料	の油臭	:				油胆	莫量			油性状	性到市伍
	<b>言</b> 以不平 1	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	P34-7	−0.15m	0					0							
2	WL GL-2.75m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
1		WL GL-2.75m	0					0							
2															
3															
4															
5															
16															
7															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	試料	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 以不补?	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	P34-9	−0.15m	0						0							
2	WL GL-6.50m	−0.5m	0						0							
3	TPH GL-5.45m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-6.50m	0						0							
12		TPH GL-5.45m			0						0					
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	武料	<b>4</b>			試料の	の油臭	:				油脂	莫量			油性状	杜司東西
	<b>言</b> 五 不 子	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
П	P35-1	−0.15m	0						0							
2	WL GL-2.75m	−0.5m	0						0							
3	TPH GL-4.50m	-1.0m			0				0							
4		−2.0m		0								0				
5		−3.0m			0				0							
6		−4.0m	0						0							
7																
8																
9																
10																
11		WL GL-2.75m	0						0							
12		TPH GL-4.50m		0								0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	・一たガム 0無夫/1692窓が				の油臭						莫量			5 <u>4</u> 44 J 15	4+ = 7 = * * * *
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P35-3	−0.15m	0					0							
2	WL GL-5.75m	−0.5m	0					0							
3	TPH GL-4.85m	−1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m		0				0							
6		-4.0m	0						0						
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-5.75m		0				0							
12		TPH GL-4.85m		0					0						
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	の判定方法…0無臭/1やっと感: 		1			の油臭		.,,,	1-000	, 13240 11		莫量	00 0		油性状	特記事項
	高式不针 化 	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>項</b>
1	P35-6	−0.15m	0						0							
2	WL GL-2.30m	−0.5m			0					0						
3	TPH GL-2.60m	-1.0m	0						0							
4	1	−2.0m	0						0							
5		−3.0m		0					0							
6	1	-4.0m	0							0						
7		−5.0m	0						0							
8	I	−6.0m	0						0							
9	1															
10																
11	<u> </u>	WL GL-2.30m	0						0							
12	<u> </u>	TPH GL-2.60m			0					0						
13	<u> </u>															
14																
15	<u> </u>															
16	<u> </u>															
17																
18	<u> </u>															
19																
20	<u> </u>															
21																
22																
23	<u> </u>															
24																
25																
26																
27	<u></u>															
28	<u> </u>															
29	<u> </u>															
30																

	試料4	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>訂</b> 工不平 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事項
1	P35-7	−0.15m	0						0							
2	WL GL-5.30m	−0.5m	0						0							
3	TPH GL-5.70m	-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m		0						0						
6		−4.0m		0					0							
7		−5.0m		0					0							
8		−6.0m	0						0							
9																
10																
11		WL GL-5.30m			0				0							
12		TPH GL-5.70m				0				0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試米	の油具	Į				油服	莫量			油性状	杜司市石
	言以不斗イ	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	P36-1	−0.15m	0					0							
2	WL GL-3.10m	-0.5m		0				0							
3	TPH GL-5.98m	-1.0m		0					0						
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m		0					0						
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-3.10m	0					0							
12		TPH GL-5.98m		0					0						
3															
4															
15															
16															
17															
8															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7		試料	の油臭					油服	莫量			油性状	杜司市石
	<b>言</b> 以不斗 7	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	P36-5	−0.15m	0					0							
2	WL GL-2.80m	−0.5m	0					0							
3	TPH GL-5.15m	-1.0m	0					0							
4		−2.0m		0					0						
5		−3.0m			0				0						
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
0															
11		WL GL-2.80m	0						0						
2		TPH GL-5.15m			0				0						
3															
4															
5															
16															
17															
8															
19															
20															
21															
22															
23															
24															
25															
26															
27															
8															
9															
30															

	試料4	<del></del>			試料(	の油臭					油胆	莫量			油性状	特記事項
	<b>言</b> 以不平 1	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油性扒	行記事項
1	P36-9	−0.15m	0						0							
2	WL GL-3.95m	−0.5m	0						0							
3	TPH GL-5.10m	-1.0m	0						0							
4		−2.0m			0				0							
5		−3.0m				0			0							
6		−4.0m	0						0							
7		−5.0m				0			0							
8																
9																
10																
11		WL GL-3.95m	0						0							
12		TPH GL-5.10m				0				0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	デルタン 0 宗夫/16 りと恋人				の油り					莫量			5 <u>4</u> 44 J 15	4+ = 7 = * * * *
	試料名		0	1 2		5	無	極微	微	少	中	多	油性状	特記事項
1	P37-1	−0.15m	0				0							
2	WL GL-2.95m	−0.5m	0				0							
3	TPH GL-7.50m	−1.0m	0				0							
4		−2.0m		0			0							
5		−3.0m	0				0							
6		−4.0m	0				0							
7		−5.0m	0				0							
8														
9														
10														
11		WL GL-2.95m	0				0							
12		TPH GL-7.50m			0						0			
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														

		5		試料	の油臭					油胆	莫量			Sets Note 기보고	性司声语
	<b>言</b> 以不斗イ	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P37-2	−0.15m	0						0						
2	WL GL-3.45m	−0.5m	0						0						
3	TPH GL-2.90m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.45m	0						0						
2		TPH GL-2.90m	0						0						
13															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊走方法・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・					の油臭						莫量			油性状	特記事項
	試料名	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記争垻
1	P37-3	−0.15m	0						0							
2	WL GL-2.15m	−0.5m	0						0							
3		-1.0m														コンクリート障害
4		−2.0m			0					0						
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-2.15m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	の判定方法…0無臭/1やっと感然 					の油臭		.,,,	1-000	, 13240 11		<b>莫量</b>	000		油性状	特記事項
	高八不斗 在 	5	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記 <del>事</del> 項
1	P37-5	−0.15m	0						0							
2	WL GL-2.70m	−0.5m	0						0							
3	TPH GL-4.61m	-1.0m		0					0							
4	1	−2.0m			0				0							
5		−3.0m	0						0							
6	I	−4.0m	0						0							
7		−5.0m	0						0							
8	<u> </u>															
9	<u> </u>															
10	<u> </u>															
11	<u> </u>	WL GL-2.70m	0						0							
12		TPH GL-4.61m			0				0							
13	<u> </u>															
14																
15																
16	<u> </u>															
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27	<u></u>															
28	<u> </u>															
29	<u> </u>															
30	 I										-					

	試料	<del>&gt;</del>			試料の	の油臭					油胆	莫量			油性状	特記事項
	<b>言</b>	Ď.	0	1	2	3	4	5	無	極微	微	少	中	多	<b>冶性状</b>	行記 <del>事</del> 項
1	P37-6	−0.15m	0						0							
2	WL GL-2.00m	−0.5m	0						0							
3	TPH GL-5.50m	-1.0m														コンクリート障害
4		−2.0m			0				0							
5		−3.0m			0				0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-2.00m	0						0							
12		TPH GL-5.50m				0			0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del>5</del>		試料	4の油身	1				油服	莫量			油性状	特記事項
	<b>言</b> 以不补?	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P38-1	−0.15m	0					0							
2	WL GL-2.20m	−0.5m	0								0				
3		-1.0m	0					0							
4		−2.0m	0						0						
5		−3.0m	0					0							
6		-4.0m	0						0						
7															
8															
9															
10															
11		WL GL-2.20m	0						0						
12															
13															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	『刊正万法・・・□無実/1やつと悠知			試料(							莫量			24 44 시스	性司声语
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P38-4	−0.15m	0					0							
2	WL GL-2.00m	−0.5m	0					0							
3	TPH GL-3.82m	−1.0m	0					0							
4		−2.0m		0				0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.00m	0					0							
12		TPH GL-3.82m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7			試料(	の油臭					油脂	量			油性状	特記事項
	記入十十名	i	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記事 <b>垻</b>
1	P38-6	−0.15m	0						0							
2	WL GL-2.75m	-0.5m	0						0							
3	TPH GL-7.14m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0							0						
7																
3																
9																
0																
1		WL GL-2.75m	0						0							
2		TPH GL-7.14m	0							0						
3																
4																
5																
6																
7																
8																
9																
20																
1																
22																
23																
4																
5																
6																
.7																
8																
9																
0																

	試料名	7		試料	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P38-7	−0.15m	0					0							
2	WL GL-2.40m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.40m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	<del>&gt;</del>		Ī	式料の	の油臭					油脂	莫量			油性状	特記事項
	高式 不平 イ	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	P38-8	−0.15m	0						0							
2	WL GL-1.80m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0							0						
8																
9																
10																
11		WL GL-1.80m	0							0						
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試料	の油臭	<u>l</u>				油服	莫量			油性状	性司事语
	<b>言</b> 以不补 <b>在</b>	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	P39-8	−0.15m	0					0							
2	WL GL-6.05m	−0.5m	0					0							
3	TPH GL-7.80m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m		0				0							
9															
10															
11		WL GL-6.05m	0					0							
12		TPH GL-7.80m		0				0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	5		試	料の油	臭					油服	莫量			SH NH 기구	性司声语
	<b>記入木</b> 半名	Ď	0	1 :	2 (	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P40-1	−0.15m	0						0							
2	WL GL-1.50m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m		0					0							
8		-6.0m		0					0							
9		−7.0m	0						0							
10																
11		WL GL-1.50m	0						0							
12																
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
8																
29																
30																

	試料4	7		試料	の油臭	<u>l</u>				油胆	莫量			油性状	杜司声语
	記入木斗名	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P40-2	-0.15m	0						0						
2	WL GL-1.05m	−0.5m	0					0							
3	TPH GL-4.52m	-1.0m	0					0							
4		−2.0m	0						0						
5		-3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-1.05m	0					0							
12		TPH GL-4.52m	0						0						
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊足万法…0無実/1つつと思え			試料(							莫量			油性状	性司事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	P40-3	−0.15m	0					0							
2	WL GL-2.70m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-2.70m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	計画			試料の							莫量			油性状	特記事項
	<b>試料</b> 名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻
1	P40-4	−0.15m	0					0							
2	WL GL-2.00m	−0.5m	0						0						
3		-1.0m	0						0						
4		−2.0m		0				0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-2.00m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	武料	<del>5</del>		둞	料の	油臭					油服	莫量			油性状	特記事項
	<b>吉</b>	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項 
1	P40-7	−0.15m	0						0							
2	WL GL-1.60m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m		0						0						
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
0																
11		WL GL-1.60m	0						0							
12																
13																
4																
5																
16																
7																
8																
19																
20																
21																
22																
23																
24																
25																
26																
27																
8																
9																
30																

		7		試料	の油臭					油胆	莫量			SH 바다 지수	性司声语
	<b>言</b>	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P40-8	−0.15m	0					0							
2	WL GL-1.00m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		-5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-1.00m	0					0							
12															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	- 1 に J C 版				試料(						油脂				54 dat d 15	# PT # TT
	試料名	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P40-9	−0.15m	0						0							
2	WL GL-1.75m	−0.5m	0						0							
3	TPH GL-7.45m	−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-1.75m	0						0							
12		TPH GL-7.45m		0					0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del></del>		試料	4の油身	1				油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	P41-3	−0.15m	0					0							
2	WL GL-2.60m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6															
7															
8															
9															
10															
11		WL GL-2.60m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27										-					
28															
29															
30															

	D判定方法…0無臭/1やっと感然 試料名		1			の油臭			12030	7 1320 14		英量			油性状	特記事項
	<b>言</b> 以不补允	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記事 <b>垻</b>
1	P41-4	−0.15m	0						0							
2	WL GL-1.90m	−0.5m	0							0						
3	TPH GL-4.14m	-1.0m	0						0							
4		-2.0m		0						0						
5		-3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9		−7.0m	0						0							
10																
11		WL GL-1.90m	0						0							
12		TPH GL-4.14m		0						0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del>5</del>		試料	の油臭					油服	莫量			SH 바다 지수	性司声语
	<b>言</b> 五 不 子	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P41-6	−0.15m	0					0							
2	WL GL-2.25m	−0.5m	0					0							
3	TPH GL-4.50m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.25m	0					0							
12		TPH GL-4.50m		0				0							
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	5		試料	の油臭	:				油服	莫量			SH 바다 지수	性司声语
	<b>訂</b> 工不平 1	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P41-7	−0.15m	0					0							
2	WL GL-1.90m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-1.90m	0					0							
2															
3															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	武料	5		試	料の油	臭					油服	莫量			24. k4. J.L	性司声语
	<b>言</b>	Ď	0	1 2	2 ;	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P41-8	−0.15m	0						0							
2	WL GL-3.25m	−0.5m	0						0							
3		-1.0m		0					0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-3.25m	0						0							
12																
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	= <del>-1</del> \/\	<del>5</del>			試料の	の油臭					油脂	莫量			54 P4 77	杜司東西
	試料名	Ď	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	P41-9	−0.15m	0						0							
2	WL GL-2.35m	−0.5m	0						0							
3	TPH GL-4.61m	−1.0m	0						0							
4		−2.0m			0				0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-2.35m	0						0							
12		TPH GL-4.61m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名				試料の	の油臭	:				油膜	量			油性状	特記事項
	<b>武科</b> 石	l	0	1	2	3	4	5	無	極微	微	少	中	多	油性扒	行記争垻 
1	P42-1	−0.15m	0						0							
2 V	VL GL-1.80m	−0.5m	0						0							
3 TI	PH GL-4.95m	−1.0m														コンクリート障害
4		−2.0m		0					0							
5		−3.0m	0						0							
3		−4.0m	0						0							
7		−5.0m	0						0							
3																
9																
0																
1		WL GL-1.80m	0						0							
2		TPH GL-4.95m			0				0							
3																
4																
5																
6																
7																
8																
9																
0																
1																
2																
3																
4																
5																
6																
7																
8																
9																
30																

	試料	<del></del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事項
1	Q30-3	−0.15m	0						0							
2	WL GL-3.60m	−0.5m			0				0							
3	TPH GL-1.50m	-1.0m		0					0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-3.60m	0						0							
12		TPH GL-1.50m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		試料	の油臭					油服	莫量			油性状	性司声语
	記木斗名	i	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q31-3	-0.15m	0					0							
2	WL GL-4.20m	−0.5m	0					0							
3	TPH GL-4.30m	-1.0m	0					0							
4		-2.0m		0				0							
5		-3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-4.20m	0					0							
12		TPH GL-4.30m		0				0							
13															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名				試料(	の油臭					油胆	莫量			油性状	特記事項
	<b></b>		0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	Q32-2	−0.15m	0						0							
2	WL GL-5.45m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-5.45m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del>5</del>		尪	料の	油臭					油服	莫量			油性状	性司事语
	高 <b>八</b> 不 子	<b>5</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	Q34-1	−0.15m	0						0							
2	WL GL-5.10m	−0.5m	0						0							
3	TPH GL-4.80m	-1.0m		0					0							
4		−2.0m		(	0				0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
0																
11		WL GL-5.10m	0						0							
2		TPH GL-4.80m		(	0				0							
3																
4																
15																
16																
7																
8																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料	<del>=</del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 以不补?	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事垻
1	Q35-1	−0.15m	0						0							
2	WL GL-3.45m	−0.5m	0						0							
3	TPH GL-5.15m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-3.45m	0						0							
12		TPH GL-5.15m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											_					

	試料名	<del>5</del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>言</b> 五木斗 千	Ď.	0	1	2	3	4	5	無	極微	微	少	中	多	<b>油性状</b>	行記事 <b>垻</b>
1	Q35-3	−0.15m	0						0							
2	WL GL-3.95m	−0.5m	0						0							
3	TPH GL-5.20m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-3.95m	0						0							
12		TPH GL-5.20m				0			0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30									I		-					

	7刊正万法…∪無実/1やつと悠知			試料の							莫量			24 44 시스	性包束语
	試料名	I	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q35-4	−0.15m	0					0							
2	WL GL-6.40m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-6.40m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7		試米	の油身	Į				油服	莫量			油性状	杜司市语
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
П	Q35-6	−0.15m	0					0							
2	WL GL-8.80m	−0.5m	0					0							
3	TPH GL-4.60m	-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m		0				0							
9		−7.0m		0				0							
0															
11		WL GL-8.80m		0				0							
12		TPH GL-4.60m		0				0							
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	デルカム 0点夫/1672点人			試料の							莫量			2년 4년 기급	#±=٦:कं रक
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q35-8	−0.15m	0					0							
2	WL GL-5.20m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-5.20m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名			試料	の油臭	Ŀ				油腹	莫量			油性状	特記事項
	<b></b>		0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記争垻
1	Q36-1	−0.15m	0					0							
2	WL GL-5.65m	−0.5m	0					0							
3	TPH GL-5.75m	−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m			0			0							
6		−4.0m		0				0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-5.65m			0			0							
12		TPH GL-5.75m			0			0							
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<del></del>			試料(	の油臭					油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	<b>油性</b> 从	行記 <del>事</del> 垻
1	Q36-4	−0.15m	0						0							
2	WL GL-7.00m	−0.5m	0						0							
3	TPH GL-7.50m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m			0				0							
9																
10																
11		WL GL-7.00m	0						0							
12		TPH GL-7.50m			0					0						
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料4	<del>5</del>			試料(	の油臭					油脂	莫量			油性状	特記事項
	<b>古</b> 五千十十		0	1	2	3	4	5	無	極微	微	少	中	多	油注水	付配争块
1	Q36-5	−0.15m	0						0							
2	WL GL-4.20m	−0.5m	0						0							
3	TPH GL-7.15m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m		0					0							
7		−5.0m			0				0							
8																
9																
10																
11		WL GL-4.20m	0						0							
12		TPH GL-7.15m			0							0				
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名	7		訂	料の	油臭					油服	莫量			油性状	杜司市西
	<b>言</b> 以不斗 7	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	Q36-8	−0.15m	0						0							
2	WL GL-2.50m	−0.5m	0						0							
3	TPH GL-5.70m	-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m		0								0				
7		−5.0m	0							0						
8																
9																
10																
11		WL GL-2.50m	0						0							
12		TPH GL-5.70m				0							0			
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	武料	5		試料	の油臭					油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	<b>5</b>	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	Q37-2	−0.15m	0					0							
2	WL GL-4.00m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0						0						
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-4.00m	0					0							
12															
3															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	刊足万法・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・			試料の							莫量			ንተነሳት ሳት	性司事項
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q37-5	−0.15m	0					0							
2	WL GL-4.25m	−0.5m	0					0							
3		−1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m		0				0							
6		−4.0m		0					0						
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-4.25m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24														_	
25															
26														_	
27															
28															
29															
30															

	試料	<del>=</del>		į	試料0	の油臭					油服	莫量			油性状	杜司東西
	<b>言</b> 五 不 子	Á	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
	Q37-8	−0.15m	0						0							
2	WL GL-5.25m	−0.5m	0						0							
3	TPH GL-8.80m	-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m		0					0							
6		−4.0m		0					0							
7		−5.0m		0						0						
8																
9																
0																
11		WL GL-5.25m		0						0						
2		TPH GL-8.80m			0					0						
13																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28											-					
29																
30											-					

	試料4	7		試料	の油臭	:				油肌	莫量			油性状	特記事項
	<b>言</b> 以不斗 1	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事項
1	Q37-9	−0.15m	0					0							
2	WL GL-4.90m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m		0							0				
6		-4.0m		0							0				
7		−5.0m		0						0					
8															
9															
10															
11		WL GL-4.90m	0					0							
12															
3															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	デルタ の			試料の							莫量			5-th-deft-y-12	ا <del>د</del> ا خارج
	試料名	l	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q38-1	−0.15m	0					0							
2	WL GL-2.00m	−0.5m	0					0							
3	TPH GL-4.50m	−1.0m	0					0							
4		−2.0m			0						0				
5		−3.0m		0				0							
6		−4.0m	0						0						
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.00m	0					0							
12		TPH GL-4.50m			0						0				
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

/ш/х	カ判定方法…0無臭/1やっと感然		30 (3)			の油臭		CALC C	12000	7 1320 14		英量	12000		油性状	特記事項
	<b>訂八不十</b>	1	0	1	2	3	4	5	無	極微	微	少	中	多	油1生状	行記事項 
1	Q38-2	−0.15m	0						0							
2	WL GL-2.00m	−0.5m	0						0							
3		-1.0m	0						0							
4		-2.0m														コンクリート障害
5		-3.0m	0							0						
6		-4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-2.00m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊正月法…0無実/1やつと悠知			試料の							莫量			24 44 시스	性記事項
	試料名	l	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q38-8	−0.15m	0					0							
2	WL GL-4.40m	−0.5m	0						0						
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
10															
11		WL GL-4.40m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	武料	<del>5</del>		試米	柳の油身	1				油服	莫量			油性状	特記事項
	<b>言</b> 五 不 子	Á	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事垻 
1	Q38-9	−0.15m	0					0							
2	WL GL-4.50m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7															
8															
9															
10															
1		WL GL-4.50m	0					0							
2															
3															
4															
5															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料4	7		試剝	料の油:	臭					油服	莫量			24 NH 기구	性司声语
	<b>言</b>	á	0	1 2	3		4 :	5	無	極微	微	少	中	多	油性状	特記事項
1	Q39-3	−0.15m	0						0							
2	WL GL-2.60m	−0.5m	0						0							
3		-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m		0					0							
6		-4.0m	0						0							
7		-5.0m	0						0							
8		-6.0m	0						0							
9		-7.0m	0						0							
10		-8.0m	0						0							
11		WL GL-2.60m	0						0							
12																
3																
4																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	刊足万法・・・0無旲/1~つと思知			試料(							莫量			245 445 445	#±=٦:क rठ
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q39-4	−0.15m	0					0							
2	WL GL-4.10m	−0.5m	0					0							
3	TPH GL-3.21m	-1.0m		0					0						
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
10															
11		WL GL-4.10m	0					0							
12		TPH GL-3.21m		0					0						
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29														_	
30															

	試料4	7		試料	の油臭	:				油服	莫量			SH 바다 지수	性到市伍
	<b>言</b>	á	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q39-9	−0.15m	0					0							
2	WL GL-3.60m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		-3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9															
0															
11		WL GL-3.60m	0					0							
2															
3															
4															
5															
16															
17															
8															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	試料4	7		試料	の油臭	<u> </u>				油脂	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	Q40-1	−0.15m	0					0							
2	WL GL-3.90m	−0.5m	0					0							
3		−1.0m		0				0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8		−6.0m	0					0							
9		−7.0m	0					0							
0		−8.0m	0					0							
11		WL GL-3.90m	0					0							
2															
13															
4															
5															
16															
7															
8															
9															
20															
21															
22															
23															
24															
25															
26															
27															
28															
9															
30															

	試料	<del>5</del>			試料の	の油臭					油胆	莫量			油性状	特記事項
	<b>言</b> 五 不 子	<b>f</b> i	0	1	2	3	4	5	無	極微	微	少	中	多	油1生1人	行記事垻
1	Q40-2	−0.15m		0					0							
2	WL GL-4.60m	−0.5m			0				0							
3	TPH GL-4.50m	-1.0m			0				0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-4.60m			0				0							
12		TPH GL-4.50m			0				0							
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	試料名				試料(	の油臭					油服	莫量			油性状	性包事话
	<b>試料</b> 石	I	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	特記事項
1	Q40-3	−0.15m	0						0							
2	WL GL-2.40m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m														木杭障害
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.40m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊正万法…0無実/1やつと悠太			試料の							莫量			24 44 시스	性記事項
	試料名	I	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q40-4	−0.15m	0					0							
2	WL GL-6.60m	−0.5m	0					0							
3		-1.0m	0						0						
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9		-7.0m	0					0							
10															
11		WL GL-6.60m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

					の油臭						莫量			5-H64H1-L5	ا <del>د</del> ر جار جار
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q41-2	−0.15m	0					0							
2	WL GL-3.40m	−0.5m	0					0							
3		-1.0m		0				0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.40m		0				0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料	<i>5</i>			試料(	の油臭	:				油膜	量			油性状	特記事項
	<b>言</b>	白	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事垻
1	Q41-5	−0.15m	0							0						
2	WL GL-3.20m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0							0						
5		−3.0m	0						0							
6		−4.0m	0						0							
7																
В																
9																
0																
1		WL GL-3.20m	0							0						
2																
3																
4																
5																
16																
7																
8																
9																
20																
21																
22																
23																
24																
25												-				
:6																
.7																
8																
9																
10																

	試料	<del>&gt;</del>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>吉</b> 五 本 子 ~		0	1	2	3	4	5	無	極微	微	少	中	多	油注1人	付配争块
1	Q41-7	−0.15m	0						0							
2	WL GL-3.40m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m		0					0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
3		−6.0m	0						0							
9		−7.0m	0						0							
0																
1		WL GL-3.40m	0						0							
2																
3																
4																
5																
6																
7																
8																
9																
20																
21																
22																
23																
24																
25																
6																
:7																
8																
9																
80																

	試料	<del>&gt;</del>			試料(	の油臭	:				油脂	莫量			油性状	特記事項
	<b>言</b>	Å	0	1	2	3	4	5	無	極微	微	少	中	多	油性状	行記事 <b>垻</b>
1	Q41-8	−0.15m	0						0							
2	WL GL-2.80m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		−3.0m	0						0							
6		-4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9		−7.0m	0						0							
0																
1		WL GL-2.80m	0						0							
2																
3																
4																
5																
6																
7																
8																
9																
20																
1																
22																
23																
24																
5																
:6																
:7																
8																
9																
80																

ш <u>д</u> ,	カ判定方法…0無臭/1やっと感然		1			の油臭		CALC C	12000	7 1320 14		英量	12000		油性状	特記事項
	<b>言</b> 以不补 <i>在</i>	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	Q41-9	−0.15m	0						0							
2	WL GL-3.90m	−0.5m	0						0							
3		-1.0m	0						0							
4		-2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		-6.0m	0						0							
9																
10																
11		WL GL-3.90m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	7刊正万法…U無実/1つつご思力 =+****			試料(							莫量			24 44 시스	性司事項
	試料名	1	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	Q42-3	−0.15m	0					0							
2	WL GL-0.50m	-0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7															
8															
9															
10															
11		WL GL-0.50m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

ш <u>д</u> ,	の判定方法…0無臭/1やっと感然 		30 (3)	W/7 17/2		の油臭		CALCE!	12000	7 1320 14		英量	12000		油性状	特記事項
	<b>高</b> 式不升 <i>在</i>	<b>i</b>	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行 <b>记</b> 争块
1	Q42-7	−0.15m	0						0							
2	WL GL-2.90m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
10																
11		WL GL-2.90m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30											-					

	試料名	7		試料	の油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗イ	5	0	1 2	3	4	5	無	極微	微	少	中	多	油注扒	行記事 <b>垻</b>
1	R39-1	−0.15m	0					0							
2	WL GL-4.70m	−0.5m	0					0							
3		-1.0m	0					0							
4		-2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-4.70m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	試料名	7		ā	<b>t料</b> 0	つ油臭	:				油服	莫量			油性状	特記事項
	<b>言</b> 以不斗 7	5	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	行記 <del>事</del> 垻
1	R39-2	−0.15m	0						0							
2	WL GL-4.65m	−0.5m	0						0							
3		−1.0m	0						0							
4		−2.0m		0						0						
5		−3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8		−6.0m	0						0							
9																
0																
11		WL GL-4.65m	0						0							
2																
3																
4																
5																
16																
17																
8																
9																
20																
21																
22																
23																
24																
25																
26																
27																
8																
9																
30																

	試料名	•			試料(	の油臭					油服	莫量			油性状	特記事項
	<b>試不</b> 十七	1	0	1	2	3	4	5	無	極微	微	少	中	多	油注扒	村記事項
1	R41-2	−0.15m	0						0							
2	WL GL-4.80m	−0.5m	0						0							
3		-1.0m	0						0							
4		−2.0m	0						0							
5		-3.0m	0						0							
6		−4.0m	0						0							
7		−5.0m	0						0							
8																
9																
10																
11		WL GL-4.80m	0						0							
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																

	7刊正万法…0無実/1やつと悠太			試料(							莫量			24 44 시스	性包束语
	試料名		0	1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	R41-3	−0.15m	0					0							
2	WL GL-3.40m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		−4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-3.40m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	7刊正万法…0無実/1やつと悠太			試料の							莫量			24 44 시스	性記事項
	試料名			1 2	3	4	5	無	極微	微	少	中	多	油性状	特記事項
1	R41-6	−0.15m	0					0							
2	WL GL-4.10m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8		-6.0m	0					0							
9															
10															
11		WL GL-4.10m	0					0							
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															

	=+ w\ A	5		試料	の油臭					油服	莫量			SH 바다 지수	特記事項
	試料名	Ď	0	1 2	3	4	5	無	極微	微	少	中	多	油性状	行記争垻 
1	R42-1	−0.15m	0					0							
2	WL GL-2.80m	−0.5m	0					0							
3		-1.0m	0					0							
4		−2.0m	0					0							
5		−3.0m	0					0							
6		-4.0m	0					0							
7		−5.0m	0					0							
8															
9															
10															
11		WL GL-2.80m	0					0							
12															
13															
4															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															