

117条調査報告総括表（全街区）

ベンゼン 溶出

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m											5	2.0%	247	98.0%	252	100.0%
-1 m							8	2.9%	8	2.9%	37	13.3%	234	83.9%	279	100.0%
-2 m					5	1.8%	10	3.5%	15	5.3%	60	21.3%	207	73.4%	282	100.0%
-3 m					3	1.1%	29	10.4%	32	11.5%	88	31.5%	159	57.0%	279	100.0%
-4 m			1	0.4%	8	3.0%	33	12.5%	42	15.9%	70	26.5%	152	57.6%	264	100.0%
-5 m					9	3.8%	31	13.2%	40	17.1%	44	18.8%	150	64.1%	234	100.0%
-6 m			1	0.6%	4	2.3%	9	5.2%	14	8.1%	35	20.3%	123	71.5%	172	100.0%
-7 m					3	3.1%	9	9.3%	12	12.4%	7	7.2%	78	80.4%	97	100.0%
-8 m							1	1.9%	1	1.9%	2	3.8%	49	94.2%	52	100.0%
-9 m											2	7.7%	24	92.3%	26	100.0%
-10 m											1	33.3%	2	66.7%	3	100.0%
合計			2	0.1%	32	1.6%	130	6.7%	164	8.5%	351	18.1%	1425	73.5%	1940	100.0%

117条調査報告総括表（全街区）

シアン化合物 溶出

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値 \leq 分析値 <10倍	率	小計	率	定量下限値< 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m							3	0.7%	3	0.7%			444	99.3%	447	100.0%
-1 m					5	0.8%	27	4.3%	32	5.1%			594	94.9%	626	100.0%
-2 m					5	0.8%	29	4.6%	34	5.4%			594	94.6%	628	100.0%
-3 m					3	0.5%	42	6.7%	45	7.2%			584	92.8%	629	100.0%
-4 m					4	0.7%	45	7.4%	49	8.0%			563	92.0%	612	100.0%
-5 m					1	0.2%	35	6.0%	36	6.2%			548	93.8%	584	100.0%
-6 m							31	5.8%	31	5.8%			502	94.2%	533	100.0%
-7 m					1	0.2%	17	3.7%	18	3.9%			444	96.1%	462	100.0%
-8 m							2	0.5%	2	0.5%			363	99.5%	365	100.0%
-9 m													122	100.0%	122	100.0%
-10 m													14	100.0%	14	100.0%
-11 m													6	100.0%	6	100.0%
-12 m													2	100.0%	2	100.0%
合計					19	0.4%	231	4.6%	250	5.0%			4780	95.0%	5030	100.0%

シアン化合物 含有

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m											25	5.6%	422	94.4%	447	100.0%
-1 m											106	16.9%	520	83.1%	626	100.0%
-2 m											106	16.9%	522	83.1%	628	100.0%
-3 m											104	16.5%	525	83.5%	629	100.0%
-4 m											103	16.8%	509	83.2%	612	100.0%
-5 m											94	16.1%	490	83.9%	584	100.0%
-6 m											78	14.6%	455	85.4%	533	100.0%
-7 m											67	14.5%	395	85.5%	462	100.0%
-8 m											44	12.1%	321	87.9%	365	100.0%
-9 m											20	16.4%	102	83.6%	122	100.0%
-10 m													14	100.0%	14	100.0%
-11 m													6	100.0%	6	100.0%
-12 m													2	100.0%	2	100.0%
合計											747	14.9%	4283	85.1%	5030	100.0%

117条調査報告総括表（全街区）

ヒ素 溶出

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m					1	0.8%	7	5.8%	8	6.6%	103	85.1%	10	8.3%	121	100.0%
-1 m					1	0.7%	38	26.0%	39	26.7%	92	63.0%	15	10.3%	146	100.0%
-2 m					2	1.4%	54	36.7%	56	38.1%	76	51.7%	15	10.2%	147	100.0%
-3 m					5	3.4%	85	57.8%	90	61.2%	52	35.4%	5	3.4%	147	100.0%
-4 m					17	11.7%	100	69.0%	117	80.7%	27	18.6%	1	0.7%	145	100.0%
-5 m					17	12.5%	106	77.9%	123	90.4%	12	8.8%	1	0.7%	136	100.0%
-6 m					18	13.7%	100	76.3%	118	90.1%	12	9.2%	1	0.8%	131	100.0%
-7 m					4	3.5%	99	87.6%	103	91.2%	9	8.0%	1	0.9%	113	100.0%
-8 m					1	1.6%	55	90.2%	56	91.8%	5	8.2%			61	100.0%
-9 m							10	76.9%	10	76.9%	3	23.1%			13	100.0%
-10 m							2	50.0%	2	50.0%	2	50.0%			4	100.0%
-11 m							2	66.7%	2	66.7%	1	33.3%			3	100.0%
-12 m							2	100.0%	2	100.0%					2	100.0%
合計					66	5.6%	660	56.5%	726	62.1%	394	33.7%	49	4.2%	1169	100.0%

ヒ素 含有

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m							1	0.8%	1	0.8%	32	26.4%	88	72.7%	121	100.0%
-1 m											71	48.6%	75	51.4%	146	100.0%
-2 m											74	50.3%	73	49.7%	147	100.0%
-3 m											51	34.7%	96	65.3%	147	100.0%
-4 m											54	37.2%	91	62.8%	145	100.0%
-5 m											44	32.4%	92	67.6%	136	100.0%
-6 m											43	32.8%	88	67.2%	131	100.0%
-7 m											19	16.8%	94	83.2%	113	100.0%
-8 m											10	16.4%	51	83.6%	61	100.0%
-9 m											8	61.5%	5	38.5%	13	100.0%
-10 m											2	50.0%	2	50.0%	4	100.0%
-11 m											1	33.3%	2	66.7%	3	100.0%
-12 m													2	100.0%	2	100.0%
合計							1	0.1%	1	0.1%	409	35.0%	759	64.9%	1169	100.0%

117条調査報告総括表（全街区）

鉛 溶出

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m											2	8.0%	23	92.0%	25	100.0%
-1 m											0	0.0%	28	100.0%	28	100.0%
-2 m													28	100.0%	28	100.0%
-3 m											0	0.0%	28	100.0%	28	100.0%
-4 m							2	7.7%	2	7.7%	1	3.8%	23	88.5%	26	100.0%
-5 m							1	4.2%	1	4.2%	4	16.7%	19	79.2%	24	100.0%
-6 m							1	6.7%	1	6.7%	0	0.0%	14	93.3%	15	100.0%
-7 m											3	42.9%	4	57.1%	7	100.0%
-8 m							1	33.3%	1	33.3%			2	66.7%	3	100.0%
-9 m																
-10 m																
-11 m																
-12 m																
合計							5	2.7%	5	2.7%	10	5.4%	169	91.8%	184	100.0%

鉛 含有

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m											17	68.0%	8	32.0%	25	100.0%
-1 m											15	53.6%	13	46.4%	28	100.0%
-2 m											12	42.9%	16	57.1%	28	100.0%
-3 m											11	39.3%	17	60.7%	28	100.0%
-4 m											9	34.6%	17	65.4%	26	100.0%
-5 m											17	70.8%	7	29.2%	24	100.0%
-6 m											10	66.7%	5	33.3%	15	100.0%
-7 m											6	85.7%	1	14.3%	7	100.0%
-8 m											3	100.0%			3	100.0%
-9 m																
-10 m																
-11 m																
-12 m																
合計											100	54.3%	84	45.7%	184	100.0%

117条調査報告総括表（全街区）

水銀 溶出

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m																
-1 m													1	100.0%	1	100.0%
-2 m													1	100.0%	1	100.0%
-3 m													1	100.0%	1	100.0%
-4 m							1	100.0%	1	100.0%					1	100.0%
-5 m													1	100.0%	1	100.0%
-6 m													1	100.0%	1	100.0%
-7 m													1	100.0%	1	100.0%
-8 m													1	100.0%	1	100.0%
-9 m																
-10 m																
-11 m																
-12 m																
合計							1	12.5%	1	12.5%			7	87.5%	8	100.0%

水銀 含有

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m																
-1 m													1	100.0%	1	100.0%
-2 m													1	100.0%	1	100.0%
-3 m													1	100.0%	1	100.0%
-4 m													1	100.0%	1	100.0%
-5 m													1	100.0%	1	100.0%
-6 m													1	100.0%	1	100.0%
-7 m													1	100.0%	1	100.0%
-8 m													1	100.0%	1	100.0%
-9 m																
-10 m																
-11 m																
-12 m																
合計													8	100.0%	8	100.0%

117条調査報告総括表（全街区）

カドミウム 溶出

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m													2	100.0%	2	100.0%
-1 m													2	100.0%	2	100.0%
-2 m													2	100.0%	2	100.0%
-3 m													2	100.0%	2	100.0%
-4 m													2	100.0%	2	100.0%
-5 m													2	100.0%	2	100.0%
-6 m													2	100.0%	2	100.0%
-7 m													2	100.0%	2	100.0%
-8 m													1	100.0%	1	100.0%
-9 m																
-10 m																
-11 m																
-12 m																
合計													17	100.0%	17	100.0%

カドミウム 含有

	1000倍 \leq 分析値	率	100倍 \leq 分析値 <1000倍	率	10倍 \leq 分析値 <100倍	率	基準値< 分析値 <10倍	率	小計	率	定量下限値 \leq 分析値 \leq 基準値	率	分析値< 定量下限値	率	合計	率
0.5 m													2	100.0%	2	100.0%
-1 m											1	50.0%	1	50.0%	2	100.0%
-2 m													2	100.0%	2	100.0%
-3 m													2	100.0%	2	100.0%
-4 m													2	100.0%	2	100.0%
-5 m													2	100.0%	2	100.0%
-6 m													2	100.0%	2	100.0%
-7 m													2	100.0%	2	100.0%
-8 m													1	100.0%	1	100.0%
-9 m																
-10 m																
-11 m																
-12 m																
合計											1	5.9%	16	94.1%	17	100.0%